



PROGRESSIVE *Identifier*

A central image showing a pair of glasses resting on a microscope. The year '2005' is overlaid in large white font on a black background.

2005

Includes 278 Lenses

2005 Edition • Revised, Updated, Expanded

Provided by Your OLA Member Laboratory

\$30.00

The *Progressive Identifier* At A Glance

The 2005 edition of the *Progressive Identifier* is the most up-to-date source of lens information available for ophthalmic professionals who want to identify progressive addition lenses (PALs) and any variable focus lenses, currently available in the United States and Canada, including lenses that have been discontinued within the past five years.

An invaluable tool—What's in it?

What's in the *Progressive Identifier*? What's new in the *Progressive Identifier*? Here are some tips, keys, terms, and directions to guide you through the *Identifier*.

Two Hundred Seventy-Eight Lens Diagrams! – 40 more lenses than the previous version – including short corridor, office, computer lenses; and intermediate viewing range or near variable focus lenses!

- Lens suppliers have added symbols and codes to distinguish lens designs and materials.
- The *Identifier* shows both the number of lens diagrams and the indexes of symbols and codes.
- Larger Canadian Section than ever before.

Index Page Listings

- always show a number/letter combination = 4C,
- or number and range of letters = 5C-F,
- that locates the specific lens diagram(s) being referenced.

Index by Symbol

- Includes every symbol or code used by companies that submitted information
 - company identification symbols
 - 180-line reference symbols (except the standard circle)
 - material identification symbols or codes.
- Lists every page where each symbol or code appears.
- Streamlined format lists symbol or code only once, without lens names.

Index by Company

- Arranges the lenses by company rather than by symbol.
- Lists the company, the lens name, shows the symbols and codes, and gives the page listing location.

Index by Recommended Minimum Height

- Continuing this valuable tool, this index groups the lenses by the manufacturer's recommended minimum height. You'll find that many lenses have new recommended minimum heights.

Lens Diagrams

- Remember – all diagrams are shown as the Right Lens, with the Convex Side Up.
- Diagrams are not to scale, of course; symbols and codes have been enlarged for clarity.
- The footer on each page describes the information in the lens diagrams.

Location, location, location

In order to identify the progressive lenses that a patient is wearing, doctors and dispensers must be able to locate two critical product identifiers.

The *Progressive Identifier* illustrates the two key identifiers for each lens:

- The Identifying Symbol or company logo that on most lenses appears on the nasal side just beneath the 180° line. (In selected lenses the symbol may appear on the temporal side. This is indicated on the lens diagram.)
- Any unique Engraved Symbols that may be displayed on the 180 line (the standard is two circles).
- Where there are no unique identifying symbols, the word "none" is shown on the lens diagram.

The *Progressive Identifier* also includes the following information for your convenience:

- The distance of the Fitting Cross from the 180° line;
- Each lens manufacturer's recommended minimum height.

The lens diagrams in the *Identifier* **are not to scale**. The lens diagrams **cannot be used** to take measurements or prepare fitting instructions. The symbols are shown in exaggerated size for clarity. The fitting cross is **not shown** at the actual distance from the 180 line. The purpose of this publication is **identification** of lenses, **not fitting** of lenses.

Three steps to success

With the information contained in the *Progressive Identifier*, doctors and retailers can quickly identify any lens currently being worn (including those recently discontinued), and confidently select the best new lens for their patients' needs.

Step One: Most modern PALs are marked by laser engravings (some older lenses may have fluorescent marks) that become easily visible when viewed under an intense light against a dark background. Look for these engraved symbols and refer to the Indexes in the front of the book.

Step Two: Determine the patient's old Rx. If this information is not in your records, read the prescription from the lens.

Step Three: Compare to the new Rx and assess any changes that might suggest a change in lens design or material. Remember to consider your patient's lifestyle, work habits, hobbies, and frame choice when choosing the appropriate lens.

For fitting tips and techniques, refer to the Indispensable Dispensing GUIDE, published by OLA. Your OLA member laboratory will be happy to provide information on this and other products published by OLA. Or contact OLA directly at 800-477-5652.

INDEX BY SYMBOL

Alpha Symbol	Page
A	13B,15G,16A,24E-G
A	3H
AC	23E
ACP	23F
AO	2C,3B,28A
AO+	3C
AOB	3D,E
AOT	3F
AP	6A
Ap	1B
AX	5I
AX+	15E
B	3I,5E
B	17B
bA	1A
B50	28B
B60	28C
C	1C,2H,15F,I
c	15D
CDX	11I
CD1	11H
CD3	12A
CD4	12B
CF	1D
CP	1F,23G
CS	1E,23H
C7	21E
D	26H
DH	9E
DV	9F
DX	9D
EII	23D
(E)	8H
(E)P	8I
(E)X	9A
(E)6	9B
(E)8	29D
(E)π	9C
(E)	7G
(E)P	7I
(E)X	7H
(E)6	8A
(E)8	29A
(E)π	8B
(E)	8C
(E)P	8D
(E)π	8E
(E)	8G
(E)P	8F
(E)π	29B
F	24I
FF-CR	18H
FF-16	18I
G	2E,18D,30H
G1	10G
H	2F,10E,19D, 20C,24G,H,25G,28A

Alpha Symbol	Page
HI	27F,32B
H67	19E
I	27G
I14	11E
I44	11F
I60	4G
III	5G
III6	5H
JJ	13E
J4	15I,16A,B
J6	15F-H
K	22C
KB	13F,H
Kc	21B
Kcl	21C
KcP	21D
Kc6	21F
KI	22D
KP	22F
K6	22E
K+	22A
K+I	21I
K+P	21G
K+6	21H
K+L	22B
M	2C,25B
NC	6H,7A,29G,30A,G
NC	30D
NC	6G,I
NC	29E,H
NC	29F,I
NC	30C,E
NC	30F
NP	7B
None	4A,14F,H,17A,20H,26G
N5	30B
ODC	15A
O	2C,D,16E,28A
P	1H,I,2G,I,3A, 13C,16F-H,24F,25A,I
PC	16C,I,20A,D
PE	1G,1H,2B
PE6	2A
PM	16H
PRO	2D
PS	16F,G
PZ	19B
Q	14I
R	17D,I,31A-I
RD	4H
S	7F,15H,16B, 18E-G,24E,25D,H,30I
S	18C
SC	15B
ShoreView	21A
SL	4E
SOMO	26D,E

Alpha Symbol	Page
SP1	12C
SPX	12D
SP3	12E
SP4	12F
S2	18F
S3	11G
S4	18G
S60	4I
T	3F
TD	10F,20G,32C
TG	9G
TI	12G,H
TLX	13G,14G
TM	9H
TP	9I
TR	19H,20E
TV	10A
TX	18B,19C
tx	18A
T50	5A
T58	5C
T60	5B
T66	5D
T80	28E
V	26I
VΩ	29C
VEL	27A
VG	25F
VIP	25E
W	18E,30I
WP	11D
WX	11B
W1	10H
W2	11C
W3	10I
W4	11A
X	31B,D
XL	26A,B
XLG	26C
Y	14E,27E-G

Non-Alpha Symbol	Page
3	15C,28D
6	2A
7	2B
π	3E
Σ	6B
ΣP	6E
Σx	6C
Σ56	6F
∂	16D
∂	3G
∂	22G
∂c	23C

Non-Alpha Symbol	Page
∇^I	22H
∇^P	23A
∇^{sl}	23B
∇⁶	22I
∇	23G,H,24E-G,25G-I
∇⁶	19A
∇⁶	19F
∇	26F
∇	10C,13I,14A,19G,H,27B
∇	10D
∇	5G-I,6A,16C,I,17E-H, 27D,31E-G,I,32A,C
∇	14D
∇	32B
∇	20B,C
∇	20F,G,27C
∇	20D,E
∇	6I,7A,B, 10B,F,17D,29E-G
∇	3H
∇	17E,31E
∇	6G,H,29H-I,30A,B
∇	30E-G
∇	4B
∇	4C,5F,30D
∇	4H,7F,26I
∇	17I,31H
∇	14B
∇	10E,19D,E
∇	14I,15B,21B-I, 22A-I,23A-D,26D,E
∇	24A
∇	23I
∇	24D
∇	24C
∇	24B
∇	7C,28F
∇^P	7D
∇⁶⁷	7E
∇	12I
∇ 16	13A
∇	17C
∇	4D-G,I,5A-D,28B-E
∇	13D
∇	20H,I
∇	17C
∇	17C
∇	19I,20A
∇	19I,20A
∇	24H,I,25A,B
∇	18H,I,19A-C,F,I,20A-G
∇	27H
∇	31A,B
∇	23E,F,I,24A-D,H,I
∇	25A-C,E,F,26B,C
∇	11,3A
∇	14D

INDEX BY COMPANY


Company Name	Lens Name	Symbols	Page	Company Name	Lens Name	Symbols	Page
American Optical	AO b'Active™	bA	1A	Excelite, Inc.	Nikon® Presio i13	⊖ NC	6H
	AO b'Active™	Ap	1B		Nikon® Presio i15	○ NC	6I
	Rugged Fashionwear®				Nikon® Presio i15	○ NC	7A
	AO Compact®	C	1C		Nikon® Presio i15	○ NP	7B
	AO Compact® 16	CF	1D		Ovation®	✓	7C
	AO Compact® 55/	CS	1E		Ovation®	✓ P	7D
	AO Compact® 55 Velocity Transitions®				Ovation®	✓ 67	7E
	AO Compact®	CP	1F		Super No-Line®	□ S	7F
	Rugged Fashionwear®				Varilux Comfort®	⊗	7G
	AO Easy/AO Pro® Easy	PE	1G		Varilux Comfort®	⊗X	7H
	AO Easy/AO Pro®	P, PE	1H		Varilux Comfort®	⊗P	7I
	Easy Rugged Fashionwear®				Varilux Comfort®	⊗6	8A
	AO Easy/AO Pro®	P, ⊗	1I		Varilux Comfort®	⊗π	8B
	Easy Rugged Fashionwear®				Varilux® Ellipse™	⊗	8C
	AO Easy 16/	6, PE6	2A		Varilux® Ellipse™	⊗P	8D
	AO Pro® Easy 16				Varilux® Ellipse™	⊗π	8E
	AO Easy 1.67/	7, PE	2B		Varilux® Liberty™	⊗P	8F
	AO Pro® Easy 1.67				Varilux® Liberty™	⊗	8G
	AO Force® 55	ρ M, AO	2C		Varilux Panamic®	⊗	8H
	AO Pro® 15	ρ PRO	2D		Varilux Panamic®	⊗P	8I
	AO Pro® 16	G	2E		Varilux Panamic®	⊗X	9A
	AO Pro® 16	H	2F		Varilux Panamic®	⊗6	9B
	AO Pro® Rugged Fashionwear®	P	2G		Varilux Panamic®	⊗π	9C
	Instinctive/PEZ	C	2H		X-Pro Minuo	DX	9D
	Instinctive/PEZ	P	2I		X-Pro Minuo	DH	9E
	Instinctive/PEZ	P, ⊗	3A		X-Pro Minuo	DV	9F
	TruVision®	AO	3B		X-Pro Omnis	TG	9G
	TruVision®	AO+	3C		X-Pro Omnis	TM	9H
	TruVision Omni®	AOB	3D		X-Pro Omnis	TP	9I
	TruVision Omni®	π, AOB	3E		X-Pro Omnis	TV	10A
	TruVision Technica®	T, AOT	3F		Panorama Global	○	10B
	AO Pro® 16 (CANADA)	H, AO,p	28A		Panorama Global	▽	10C
	Augen Air High Index, Augen Air Photochromic	⊗	3G		Panorama Global	△	10D
	Augen Progressive	○ A	3H		Panorama Global	⊕ H	10E
	Clarlet® Business	B	3I		Panorama Global	○ TD	10F
	Gradal® Brevity 1.5	None	4A		HOYALUX GP	G1	10G
	Gradal® Brevity 1.59	⊙	4B		HOYALUX GP WIDE	W1	10H
	Gradal® Brevity 1.67	e	4C		HOYALUX GP WIDE	W3	10I
	Gradal® HS	⊠	4D		HOYALUX GP WIDE	W4	11A
	Gradal® HS	⊠ SL	4E		HOYALUX GP WIDE	WX	11B
	Gradal® HS/Punktal Gradal® HS/Umbramatic SR Gradal® HS	⊠	4F		HOYALUX GP WIDE	W2	11C
	Gradal® Individual	⊠ I60	4G		HOYALUX GP WIDE	WP	11D
	Gradal® RD	□ RD	4H		HOYALUX iD	I14	11E
	Gradal® Shorti	⊠ S60	4I		HOYALUX iD	I44	11F
	Gradal® Top	⊠ T50	5A		HOYALUX summit 13	S3	11G
Gradal® Top	⊠ T60	5B	HOYALUX summit cd	CD1	11H		
Gradal® Top	⊠ T58	5C	HOYALUX summit cd	CDX	11I		
Gradal® Top	⊠ T66	5D	HOYALUX summit cd	CD3	12A		
Zeiss Business	B	5E	HOYALUX summit cd	CD4	12B		
Zeiss Experience®	⊖	5F	HOYALUX summit ecp	SP1	12C		
Gradal® Brevis 1.5 (CANADA)	⊠ B50	28B	HOYALUX summit ecp	SPX	12D		
Gradal® Brevis 1.6 (CANADA)	⊠ B60	28C	HOYALUX summit ecp	SP3	12E		
Gradal® 3 (CANADA)	⊠ 3	28D	HOYALUX summit ecp	SP4	12F		
Gradal® Top (CANADA)	⊠ T80	28E	HOYALUX TACT - EP 40	TI	12G		
Ovation®	✓	28F	HOYALUX TACT - EP 60	TI	12H		
Varilux Comfort®	⊗ 8	29A	Admira™	⊖	12I		
Varilux® Ipseo	⊗π	29B	Admira™ 1.6	⊖ 16	13A		
Varilux® Omega	∇Ω	29C	AmPLY™	A	13B		
Varilux Panamic® 1.8	⊗ 8	29D	AmPLY™ Proximity	P	13C		
Adapter®	III, ◇	5G	Micra™	π	13D		
Adapter®	III 6, ◇	5H	DEFINITY™	JJ	13E		
Adapter®	AX, ◇	5I					
Adapter®	AP, ◇	6A					
Essilor Natural®	Σ	6B	The Spectacle Lens Group/J&J				
Essilor Natural®	Σx	6C	Kbco				
Essilor Natural®	Σ6	6D	EOS with HC16™	KB	13F		
Essilor Natural®	Σ P	6E	Fusion I	TLX	13G		
Essilor Natural®	Σ 56	6F	Fusion II	KB	13H		
Nikon® Presio i13	⊖ NC	6G	MVP Platinum Plastic II	▽	13I		
			MVP Platinum Poly	▽	14A		
			Channel 14 Plastic	□	14B		
			Channel 14 Poly	▽	14C		
			Fairvue	◇ ≡	14D		
			Melibrad Progressive	Y	14E		

Company Name	Lens Name	Symbols	Page	Company Name	Lens Name	Symbols	Page	
Nassau Lens Company Nikon Optical Canada	Polar-Ray Progressive	None	14F	Shore Lens Company	Insight™ (CANADA)	◇ HI	32B	
	Polar-Ray Progressive	TLX	14G		Insight™ (CANADA)	◇ TD	32C	
	Nalco® Progressive	None	14H		Office™	⊙ C	19I	
	Nikon Go 1.50	○ PC	29E		Office™	⊙ C	20A	
	Nikon Go 1.60	○ NC	29F		Piccolo®	⊙ C	20B	
	Nikon Go 1.67	○ NC	29G		Piccolo®	⊙ C	20C	
	Nikon i 1.50	⊖ PC	29H		Piccolo®	⊙ C	20D	
	Nikon i 1.60	⊖ NC	29I		Piccolo®	⊙ C	20E	
	Nikon i 1.67	⊖ NC	30A		Piccolo®	⊙ C	20F	
	Nikon i 1.74	⊖ N5	30B		Piccolo®	⊙ C	20G	
	Nikon Online 1.50	⊖ PK	30C		balance®	None	20H	
	Nikon Online 1.67	⊖ NC	30D		balance® mini	None	20I	
	Privilege 1.50	⊖ PK	30E		ShoreView	ShoreView	21A	
	Privilege 1.60	⊖ PK	30F		KODAK Concise™	+	21B	
	Privilege 1.67	⊖ NC	30G		KODAK Concise™	+	21C	
	Optical Dynamics Corporation	Continual Focus Lens™ (CFL)	+, Q		14I	KODAK Concise™	+	21D
		Paradigm® Progressive	ODC		15A	KODAK Concise™	+	21E
	Optima, Inc.	Paradigm® Short Corridor	+, SC		15B	KODAK Concise™	+	21F
		Natural Sight Hyperview™ 166	3		15C	KODAK Precise™	+	21G
	Optixx AG Pentax, div. of Seiko Optical	Resolution Response	c		15D	KODAK Precise™	+	21H
		axcess plus	AX+		15E	KODAK Precise™	+	21I
AF® 1.50		C, J6	15F	KODAK Precise™	+	22A		
AF® 1.60		A, J6	15G	KODAK Precise™	+	22B		
AF® 1.67		S, J6	15H	KODAK Progressive	+	22C		
AF mini™ 1.50		C, J4	15I	KODAK Progressive	+	22D		
AF mini™ 1.60		A, J4	16A	KODAK Progressive	+	22E		
AF mini™ 1.67		S, J4	16B	KODAK Progressive	+	22F		
DC mini™		◇ PC	16C	Navigator® Precision	+	22G		
Lite 1.60 Progressive		⊙	16D	Navigator® Precision	+	22H		
Plastic Progressive		⊙	16E	Navigator® Precision	+	22I		
Plastic Plus (CANADA)		Supremacy 1.67	G	30H	Navigator® Precision	+	23A	
		Supremacy 1.67 Short	S, W	30I	Navigator® Short	+	23B	
Polycore Optical USA		Futurise™	P, PS	16F	Navigator® Short	+	23C	
		Futurise™	P, PS	16G	PEIIT™	+	23D	
	Micro	P, PM	16H	Access®	⊙ AC	23E		
Polylite Taiwan Co, Ltd (formerly Nexgen Vision)	GIA Starlite Gold	◇ PC	16I	Access®	⊙ ACP	23F		
	GIA Starlite L	None	17A	Continuum®	⊙ CP	23G		
PRIO Corporation	PRIO Browser Lens	B	17B	Continuum®	⊙ CS	23H		
	PRIO Computer Lens	⊙ C (S)	17C	Percepta®	⊙	23I		
Rodenstock Canada	Impression ILT	R ∞	31A	Percepta®	⊙	24A		
	Impression ILT XS	X R ∞	31B	Percepta®	⊙	24B		
	Multigrassiv® ILT	R	31C	Percepta®	⊙	24C		
	Multigrassiv® ILT XS	R X	31D	Percepta®	⊙	24D		
	Multigrassiv® 2	◇ ○ R	31E	SOLAMAX™	⊙ S, A	24E		
	Progressiv® AT	◇ R	31F	SOLAMAX™	⊙ P, A	24F		
	Progressiv life® 2	◇ R	31G	SOLAMAX™	⊙ H, A	24G		
	Progressiv life® XS	□ R	31H	SOLAOne™	⊙ H, ~	24H		
	Progressiv SI	◇ R	31I	SOLAOne™	⊙ F, ~	24I		
	Cosmolit® Office	○ R	17D	SOLAOne™	⊙ P, ~	25A		
	Multigrassiv® 2	◇ ○ R	17E	SOLAOne™	⊙ M, ~	25B		
	Progressiv® AT	◇ R	17F	VIP	⊙	25C		
	Progressiv life® 2	◇ R	17G	VIP	S	25D		
	Progressiv SI	◇ R	17H	VIP	⊙ VIP	25E		
	Progressiv® XS	□ R	17I	VIP Gold®	⊙ VG	25F		
	RSE Optics	Tokai 13	tx	18A	Visuality®	⊙ H	25G	
		Tokai 15	TX	18B	Visuality®	⊙ S	25H	
Seiko Optical Products	P6	S	18C	Visuality®	⊙ P	25I		
	1.67 Proceed®	G	18D	XL	XL	26A		
	1.67 Proceed® II Short	S, W	18E	XL	⊙ XL	26B		
	Super Proceed®	S, S2	18F	XLGold	⊙ XLG	26C		
	Internal (12 mm Corridor)	S, S4	18G	SOMOLux	+	26D		
Shamir Insight Inc.	Super Proceed®	S, S4	18G	SOMOLux	+	26E		
	Internal (14 mm Corridor)	S, S4	18G	IRx Pro	Λ	26F		
	Autograph™	⊙ FF-CR	18H	Opti-Pol/Polar PAL	None	26G		
	Autograph™	⊙ FF-16	18I	Shorty PAL	D	26H		
	Genesis™	⊙ ◇	19A	Illumina™	□ V	26I		
	Genesis™	⊙ PZ	19B	Outlook®	VEL	27A		
	Genesis™	⊙ TX	19C	Freedom Fashion Fit™	▽	27B		
	Genesis™	⊙ H	19D	Freedom Fashion Fit™	⊙	27C		
	Genesis™	⊙ H67	19E	Freedom 5™	◇	27D		
	Genesis™	⊙ ◇ 6	19F	Image®	Y	27E		
	Genesis™	▽	19G	Image® 1.67 High Index	Y, HI	27F		
	Genesis™	▽ TR	19H	Image® Easy Lite™	Y, I	27G		
Insight™ (CANADA)	◇	32A	Image® Trilogy™	▽	27H			

INDEX BY RECOMMENDED MINIMUM HEIGHT

Minimum Height	Lenses	Page	Minimum Height	Lenses	Page
14mm	Essilor Canada: Varilux® Omega.....	29C	18mm	Landon Lens Mfg Corp: MVP Platinum Plastic II	13I
	Essilor of America: All Varilux® Ellipse™.....	8C-E	(cont.)	Melibrad: Melibrad Progressive	14E
	HOYA VISION CARE: HOYALUX iD 114, All HOYALUX SUMMIT CD, HOYALUX TACT – EP 60	11E,H,I,12A,B,H		Nikon Optical Canada: All Nikon Go, All Privilege.....	29E-G,30E-G
	Landon Lens Mfg Corp: All Channel 14	14B,C		Optical Dynamics: Continual Focus Lens™.....	14I
	Rodenstock North America: Progressiv XS.....	17I		Optima, Inc.: Resolution Response	15D
15mm	American Optical: All AO Compact®.....	1C-F		Plastic Plus (CANADA): Supremacy 1.67 Short	30I
	Carl Zeiss Optical, Inc: Gradal® Shorti; All Gradal® Brevis (Canada)	4I,28B,C		Polycore Optical USA: Futurise™ SunSensors™	16F
	Nikon Optical Canada: All Nikon Online	30C,D		Rodenstock (CANADA): Impression Ilt, Multigressiv® Ilt, Progressiv AT, Progressiv life® 2, Progressiv Sl.....	31A,C,F,G,I
	SOLA Optical: All Access®; All Continuum™.....	23G,H		Rodenstock North America: Multigressiv® 2, Progressiv AT, Progressiv life® 2, Progressiv Sl.....	17E-H
15.5mm	RSE Optics: Tokai 13	18A		Seiko Optical Products: 1.67 Proceed® II Short, Super Proceed® Internal (14 mm Corridor)	18E,G
16mm	Carl Zeiss Optical, Inc: All Gradal® Brevity; Zeiss Business; Zeiss Experience®	4A-C,5E,F		Shore Lens Company: balance®	20H
	INDO® Lens, US: Micra™.....	13D		SOLA Optical: All Percepta®, All SOLAOne™, All VIP, All Visuality®, All XL.....	23I,24A-D,H,I,25A-I,26A-C
	Melibrad: Polar-Ray Progressive TLX	14G		Specialty Lens Corp: iRx Pro	26F
	Nikon Optical Canada: All Nikon i	29H,I3A,B		Vision-Ease Lens, Inc: Outlook™.....	27A
	Optical Dynamics Corporation: Paradigm® Short Corridor	15B		Younger Optics:All Image®	27E-H
	Polycore Optical USA: Micro.....	16H	19mm	Essilor of America: All Nikon® Presio i15.....	16I,7A,B
	PRIO Corporation: All PRIO lenses.....	17B,C		HOYA VISION CARE: HOYALUX GP.....	10G
	Rodenstock (CANADA): Impression Ilt XS, Multigressiv® Ilt XS, Progressiv life® XS	31B,D,H		Nassau Lens Company: Nalco® Progressive.....	14H
	Seiko Optical Products: Super Proceed® Internal (12 mm Corridor).....	18F		Pentax, div. of Seiko Optical: DC mini™.....	16C
	Shamir Insight Inc.: All Office™, All Piccolo®	19I,20A-G		Polylite Taiwan Co, Ltd: GIA Starlite Gold.....	16I
	Shore Lens Company: balance® mini	20I		Shamir Insight Inc.: All Autograph™, All Genesis™, except polycarbonate	18H,I,19A-F
	Specialty Lens Corp: Shorty PAL	226H		Shore Lens Company: ShoreView	21A
17mm	Augen Optics: Augen Air High Index/Augen Air Photochromic ..	3G		SOMO Optical: SOMOLux CR39.....	26E
	Essilor Canada: Ovation®.....	28F	20mm	Augen Optics: Augen Progressive	3H
	Essilor of America: All Nikon® Presio i13, All Ovation®.....	6G,H,7C-E		Carl Zeiss Optical, Inc (CANADA): Gradal® 3.....	28D
	HOYA VISION CARE: HOYALUX SUMMIT 13.....	11G		Excelite, Inc: All X-Pro Omnis	9G-I,10A
	KBCo: EOS with HC16™.....	13F		Global Optics: All Panorama Global	10B-F
	Landon Lens Mfg Corp: MVP Platinum Poly	14A		INDO® Lens, US: All Admira™.....	12I,13A
	Optixx AG: axcess plus.....	15E		KBCo: Fusion I, II.....	13G,H
	Pentax, div. of Seiko Optical: All AF mini™.....	15I,16B,C		Pentax, div. of Seiko Optical: All AF®.....	15F-I,16A,B
	Signet Armorlite, Inc: All KODAK Concise™, All Navigator® Short	21B-F23B,C		Plastic Plus (CANADA): Supremacy 1.67	30H
	SOLA Optical: All SOLAMAX™.....	24E-G		Polycore Optical USA: Futurise™ Conventional Plastic.....	16G
	SOMO Optical: SOMOLux 1.60	26D		Rodenstock North America: Cosmolit® Office	17D
	Vision-Ease Lens, Inc: Illumina™.....	26I		Seiko Optical Products: 1.67 Proceed®	18D
	X-CEL Optical Company: All Freedom Fashion Fit™.....	27B,C		Shamir Insight Inc.: All Genesis™ polycarbonate.....	19G,H
17.5mm	RSE Optics: Tokai 15	18B		Signet Armorlite, Inc: All KODAK Precise™, All KODAK Progressive, All Navigator® Precision	21G-I,22A-I,23A
18mm	American Optical: All AO b'Active™; All AO Easy/AO Pro® Easy; AO Force® 55; All AO Pro® except AO Pro® 16 poly, AO Pro® 16 Canada; All Instinctive/PEZ; All TruVision® except TruVision® Decentered, TruVision® Omni poly.	1A,B,G-I,2A-D,F-I,3A,B,D,F	21 mm	Essilor of America: Super No-Line®	7F
	Carl Zeiss Optical, Inc: Clarilet® Business; Gradal® Individual; All Gradal® Top	3I,4G,5A-D	22mm	American Optical : AO Pro® 16 poly, AO Pro® 16 Canada; TruVision® Decentered; TruVision® Omni poly.	2E,3C,E,28A
	Essilor Canada: Varilux Comfort®, Varilux® Ipseo; Varilux Panamic®	29A,B,D		Carl Zeiss Optical, Inc: All Gradal® HS.....	4D-F
	Essilor of America: All Adaptar®, All Essilor Natural®, All Varilux Comfort®, All Varilux® Liberty™, All Varilux Panamic®	5G-I,6A-F,7G-I,8A,B,F-I,9A-C		LBI: Fairvue.....	14D
	Excelite, Inc: All X-Pro Minuo	9D-F		Melibrad: Polar-Ray Progressive	14F
	HOYA VISION CARE: All HOYALUX GP WIDE, HOYALUX iD 144, All HOYALUX SUMMIT ECP, HOYALUX TACT – EP 40	10H,I,11A-D,F,12C-G		Optical Dynamics Corporation: Paradigm® Progressive.....	15A
	INDO® Lens, US: All Amply™	13B,C		Shamir Insight Inc.: All Insight™	32A-C
	The Spectacle Lens Group/J&J: DEFINITY™	13E		Signet Armorlite, Inc: PE™ II	23D
			23mm	Specialty Lens Corp: Opti-Pol/Polar PAL.....	26G
			24mm	X-CEL Optical Company: Freedom 5™.....	27D
				Optima, Inc.: Natural Sight Hyperview™ 166.....	15C
				Polylite Taiwan Co, Ltd: GIA Starlite L.....	17A
				Seiko Optical Products: P6	18C
			25mm	Carl Zeiss Optical, Inc: Gradal® RD.....	4H
			None	Pentax, div of Seiko Optical: Lite 1.60 Progressive, Plastic Progressive.....	16D,E
			Given		


American Optical
AO b'Active™
 Conventional Plastic, Polarized



Recommended Minimum Height 18mm

A

American Optical
AO b'Active™
Rugged Fashionwear®
 Polycarbonate




Recommended Minimum Height 18mm

Note: Earlier blanks used Bp instead of Ap

B


American Optical
AO Compact®
 Conventional Plastic, Transitions®



Recommended Minimum Height 15mm

C

American Optical
AO Compact® 16
 New High Index 16 (1.600)




Recommended Minimum Height 15mm

D

American Optical
AO Compact® 55/AO Compact® 55
Velocity Transitions®


1.537 New High Index 55 (AO Compact® 55 only); 1.537 New High Index 55 Photochromic (AO Compact® 55 Velocity Transitions® only)



Recommended Minimum Height 15mm

E


American Optical
AO Compact®
Rugged Fashionwear®
 Polycarbonate



Recommended Minimum Height 15mm

F


American Optical
AO Easy/AO Pro® Easy
 Conventional Plastic; Transitions®



Recommended Minimum Height 18mm

G


American Optical
AO Easy/AO Pro® Easy
Rugged Fashionwear®
 Polycarbonate



Recommended Minimum Height 18mm

H

American Optical
AO Easy/AO Pro® Easy
Rugged Fashionwear®
 Polycarbonate Transitions®




Recommended Minimum Height 18mm

I

Right Lens, Convex Side Up

Location of ADD Power




DIAGRAMS ARE NOT TO SCALE

Fitting Cross Distance from 180° Line

180° Line


For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

American Optical
AO Easy16/AO Pro® Easy 16
 New High Index 16 (1.600)




Recommended Minimum Height 18mm

American Optical
AO Easy1.67 High Index/AO Pro® Easy 1.67 High Index
 1.67 High Index Plastic, Transitions®




Recommended Minimum Height 18mm

American Optical
AO Force® 55
 1.54 High Index




Recommended Minimum Height 18mm

American Optical
AO Pro® 15
 Conventional Plastic, Transitions®, Clear Glass, PhotoGray Extra®, PhotoBrown Extra®




Recommended Minimum Height 18mm

DISCONTINUED
 American Optical
AO Pro® 16
 Polycarbonate




Recommended Minimum Height 22mm

American Optical
AO Pro® 16
 New High Index 16 (1.600)




Recommended Minimum Height 18mm

American Optical
AO Pro® Rugged Fashionwear®
 Polycarbonate




Recommended Minimum Height 18mm

American Optical
Instinctive/PEZ
 Conventional Plastic, Transitions®



Recommended Minimum Height 18mm


American Optical
Instinctive/PEZ
 Polycarbonate



Recommended Minimum Height 18mm

Right Lens, Convex Side Up

Location of ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross Distance from 180° Line

180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

**American Optical
Instinctive/PEZ**

Polycarbonate Transitions®




**Recommended
Minimum Height
18mm**

A

**American Optical
TruVision®**

Conventional Plastic, Centered;
Clear Glass; PhotoGray Extra®




**Recommended
Minimum Height
18mm**

B

DISCONTINUED American Optical
TruVision®

Conventional Plastic, Decentered




**Recommended
Minimum Height
22mm**

C

**American Optical
TruVision Omni®**

Conventional Plastic, Clear Glass,
PhotoGray Extra®, PhotoBrown Extra®




**Recommended
Minimum Height
18mm**

D

DISCONTINUED American Optical
TruVision Omni®

Polycarbonate




**Recommended
Minimum Height
22mm**

E

**American Optical
TruVision Technica®**

Conventional Plastic




**Recommended
Minimum Height
18mm**

F

**Augen Optics
Augen Air High Index/
Augen Air Photochromic**

1.56 Index (Augen Air High Index only), SunSensors,
Gray, Brown (Augen Air Photochromic only)




**Recommended
Minimum Height
17mm**

G

**Augen Optics
Augen Progressive**

CR 39




**Recommended
Minimum Height
20mm**

H

**Carl Zeiss Optical, Inc.
Clarlet® Business**

Conventional Plastic




**Recommended
Minimum Height
18mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line


180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Carl Zeiss Optical, Inc.

Gradal® Brevity 1.5

Conventional Plastic




Recommended Minimum Height 16mm

Carl Zeiss Optical, Inc.

Gradal® Brevity 1.59

Polycarbonate




Recommended Minimum Height 16mm

Carl Zeiss Optical, Inc.

Gradal® Brevity 1.67

1.67 Ultra High Index Plastic




Recommended Minimum Height 16mm

DISCONTINUED

Carl Zeiss Optical, Inc.

Gradal® HS

Conventional Plastic




Recommended Minimum Height 22mm

DISCONTINUED

Carl Zeiss Optical, Inc.

Gradal® HS

1.6 Index Plastic




Recommended Minimum Height 22mm

DISCONTINUED

Carl Zeiss Optical, Inc.

Gradal® HS/Punktal Gradal® HS/ Umbramatic SR Gradal® HS

Conventional Plastic Eurobrown (Gradal® HS only);
1.6 Clear Glass (Punktal Gradal® HS only); 1.5
Photochromic Glass (Umbramatic SR Gradal® HS only)




Recommended Minimum Height 22mm

Carl Zeiss Optical, Inc.

Gradal® Individual

1.6 Index Plastic




Recommended Minimum Height 18mm

Carl Zeiss Optical, Inc.

Gradal® RD

Conventional Plastic




Recommended Minimum Height 25mm

Carl Zeiss Optical, Inc.

Gradal® Shorti


1.6 Index Plastic



Recommended Minimum Height 15mm

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line


180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Carl Zeiss Optical, Inc.

Gradal® Top

Conventional Plastic;
Transitions® Gray, Brown




A

Carl Zeiss Optical, Inc.

Gradal® Top

1.60 Index Plastic;
1.6 Clear, Photochromic Glass




B

Carl Zeiss Optical, Inc.

Gradal® Top

Polycarbonate; Polycarbonate Transitions®
Gray; Polycarbonate Polarized Gray




C

Carl Zeiss Optical, Inc.

Gradal® Top

1.67 Ultra High Index Plastic; Transitions® Gray




D

Carl Zeiss Optical, Inc.

Zeiss Business

Conventional Plastic




E

Carl Zeiss Optical, Inc.

Zeiss Experience®

1.67 Ultra High Index Plastic




F

Essilor of America

Adaptar®

Hard Resin; Transitions® 1.50; Clear Glass;
PhotoGray Extra®




G

Essilor of America

Adaptar®

Thin & Lite® 1.6




H

Essilor of America

Adaptar®


Ormex® Clear, Ormex® Transitions® Gray



I

Right Lens,
Convex Side Up

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross
Distance from
180° Line

180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Essilor of America
Adaptar®

Airwear® poly; Airwear® Transitions®




Recommended
Minimum Height
18mm

A

Essilor of America
Essilor Natural®

Hard Resin; Transitions® 1.50; 1.6 High Index
Clear and PhotoGray Extra® Glass




Recommended
Minimum Height
18mm

B

Essilor of America
Essilor Natural®

Ormex® Clear




Recommended
Minimum Height
18mm

C

Essilor of America
Essilor Natural®

Thin & Lite® 1.6




Recommended
Minimum Height
18mm

D

Essilor of America
Essilor Natural®

Airwear®, Airwear® Transitions® poly




Recommended
Minimum Height
18mm

E

Essilor of America
Essilor Natural®

Ormex® Transitions®




Recommended
Minimum Height
18mm

F

Essilor of America
Nikon® Presio i13

1.50 Plastic Crizal®




Recommended
Minimum Height
17mm

G

Essilor of America
Nikon® Presio i13

1.67 Thin & Lite® Crizal®




Recommended
Minimum Height
17mm

H

Essilor of America
Nikon® Presio i15

1.50 Plastic Crizal®




Recommended
Minimum Height
19mm

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line


180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Essilor of America

Nikon® Presio i15

1.67 Thin & Lite® Crizal®




Recommended Minimum Height 19mm

A

Essilor of America

Nikon® Presio i15

Polycarbonate Crizal®




Recommended Minimum Height 19mm

B

Essilor of America

Ovation®

Orma® Plastic; Transitions® 1.50 Gray and Brown




Recommended Minimum Height 17mm

C

Essilor of America

Ovation®

Airwear®; Airwear® Transitions® poly; Airwear polarized gray & brown




Recommended Minimum Height 17mm

D

Essilor of America

Ovation®

Thin & Lite® 1.67




Recommended Minimum Height 17mm

E

Essilor of America

Super No-Line®

Orma® Plastic




Recommended Minimum Height 21mm

F

Essilor of America

Varilux Comfort®

Orma® Plastic; Polarized Gray; Transitions® 1.50 Gray & Brown; High Index 1.6 Clear Glass; 1.6 PhotoGray Extra®




Recommended Minimum Height 18mm

G

Essilor of America

Varilux Comfort®

Ormex® Clear, Ormex® Transitions® Gray




Recommended Minimum Height 18mm

H

Essilor of America

Varilux Comfort®

Airwear® poly; Airwear® Transitions®




Recommended Minimum Height 18mm

I

Right Lens, Convex Side Up

Location of ADD Power



Nasal


DIAGRAMS ARE NOT TO SCALE

Fitting Cross Distance from 180° Line


180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.


Essilor of America
Varilux Comfort[®]
 Thin & Lite[®] 1.6




Essilor of America
Varilux Comfort[®]
 Thin & Lite[®] 1.67




Essilor of America
Varilux[®] Ellipse[™]
 Hard Resin




Essilor of America
Varilux[®] Ellipse[™]
 Airwear[®]




Essilor of America
Varilux[®] Ellipse[™]
 Thin & Lite[®] 1.67



Essilor of America
Varilux[®] Liberty[™]
 Airwear[®]




Essilor of America
Varilux[®] Liberty[™]
 Hard Resin, Transitions[®] 1.50




Essilor of America
Varilux Panamic[®]

Orma[®] Plastic; Orma[®]Transitions[®] 1.50
 Gray & Brown; Photobronze 16 1.6
 High Index Glass; Polarized Gray and Brown




Essilor of America
Varilux Panamic[®]

Airwear[®], Airwear[®] Transitions[®];
 Airwear polarized gray & brown



**Right Lens,
 Convex Side Up**

Location of
 ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
 Distance from
 180° Line


180° Line

For additional information on any of
 these progressive lenses, contact
 your local OLA member laboratory.
 They are the experts.


Essilor of America
Varilux Panamic®
 Ormex® Transitions® Gray

Essilor of America
Varilux Panamic®
 Thin & Lite®


Essilor of America
Varilux Panamic®
 Thin & Lite® 1.67



**Recommended
 Minimum Height
 18mm**



**Recommended
 Minimum Height
 18mm**




**Recommended
 Minimum Height
 18mm**


Excelite, Inc.
X-Pro Minuo
 CR 39

Excelite, Inc.
X-Pro Minuo
 High Index 1.60


Excelite, Inc.
X-Pro Minuo
 Trivex



**Recommended
 Minimum Height
 18mm**



**Recommended
 Minimum Height
 18mm**




**Recommended
 Minimum Height
 18mm**


Excelite, Inc.
X-Pro Omnis
 CR 39, Transitions

Excelite, Inc.
X-Pro Omnis
 High Index 1.60


Excelite, Inc.
X-Pro Omnis
 SunSensors



**Recommended
 Minimum Height
 20mm**




**Recommended
 Minimum Height
 20mm**



**Recommended
 Minimum Height
 20mm**

**Right Lens,
 Convex Side Up**

Location of
 ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross
 Distance from
 180° Line

180° Line

For additional information on any of
 these progressive lenses, contact
 your local OLA member laboratory.
 They are the experts.

**Excelite, Inc.
X-Pro Omnis**

Trivex




**Recommended
Minimum Height
20mm**

A

**Global Optics
Panorama Global**

Conventional Plastic; 1.50 Transitions®
Brown & Gray; 1.52 Clear Glass; 1.52
PhotoGray Extra®; 1.52 PhotoBrown Extra®




**Recommended
Minimum Height
20mm**

B

**Global Optics
Panorama Global**

Polycarbonate




**Recommended
Minimum Height
20mm**

C

**Global Optics
Panorama Global**

SunSensors™ Gray




**Recommended
Minimum Height
20mm**

D

**Global Optics
Panorama Global**

1.60 High Index Plastic




**Recommended
Minimum Height
20mm**

E

**Global Optics
Panorama Global**

1.52 Thin & Dark™ Gray




**Recommended
Minimum Height
20mm**

F

**HOYA VISION CARE
HOYALUX GP**

Conventional Plastic




**Recommended
Minimum Height
19mm**

G

**HOYA VISION CARE
HOYALUX GP WIDE**

Conventional Plastic; Transitions Gray, Brown




**Recommended
Minimum Height
18mm**

H

**HOYA VISION CARE
HOYALUX GP WIDE**

High Index 1.60 (EYAS)




**Recommended
Minimum Height
18mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



Nasal

DIAGRAMS ARE NOT TO SCALE


Fitting Cross
Distance from
180° Line

180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

**HOYA VISION CARE
HOYALUX GP WIDE**

High Index 1.70 (ESRY)




**Recommended
Minimum Height
18mm**

A

**HOYA LENS OF AMERICA
HOYALUX GP WIDE**

High Index 1.53 (Phoenix™ - Trivex™);
Transitions Gray




**Recommended
Minimum Height
18mm**

B

**HOYA VISION CARE
HOYALUX GP WIDE**

High Index 1.55 Sungray IV (Photochromic)




**Recommended
Minimum Height
18mm**

C

**HOYA VISION CARE
HOYALUX GP WIDE**

Polycarbonate




**Recommended
Minimum Height
18mm**

D

**HOYA VISION CARE
HOYALUX id**

1.70 High Index (EYRY)




**Recommended
Minimum Height
14mm**

E

**HOYA VISION CARE
HOYALUX id**

1.70 High Index (EYRY)




**Recommended
Minimum Height
18mm**

F

**HOYA VISION CARE
HOYALUX summit 13**

1.60 Index (EYAS)




**Recommended
Minimum Height
17mm**

G

**HOYA VISION CARE
HOYALUX summit cd**

Conventional Plastic;
Transitions Gray, Brown




**Recommended
Minimum Height
14mm**

H

**HOYA VISION CARE
HOYALUX summit cd**

High Index 1.53 (Phoenix™ - Trivex™);
Transitions Gray




**Recommended
Minimum Height
14mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line


180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

HOYA VISION CARE

HOYALUX summit cd

1.60 High Index (EYAS)




A

HOYA VISION CARE

HOYALUX summit cd

1.70 High Index (EYRY)




B

HOYA VISION CARE

HOYALUX summit ecp

Conventional Plastic;
Transitions Gray, Brown




C

HOYA VISION CARE

HOYALUX summit ecp

1.53 Index (Phoenix™Trivex™);
Transitions Gray




D

HOYA VISION CARE

HOYALUX summit ecp

1.60 High Index (EYAS)




E

HOYA VISION CARE

HOYALUX summit ecp


1.70 Ultra High Index (EYRY)



F

HOYA VISION CARE
HOYALUX TACT – EP 40


Conventional Plastic



G

HOYA VISION CARE
HOYALUX TACT – EP 60


Conventional Plastic



H

INDO® Lens, US
Admira™


Superfin 1.523 Organic Material;
Indochromic Brown and Gray



I

**Right Lens,
Convex Side Up**

Location of
ADD Power




DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line

180° Line


For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

INDO® Lens, US
Admira™ 1.6
 Ultrafin




Recommended
 Minimum Height
 20mm

INDO® Lens, US
AMPLY™
 Superfin 1.523 Organic Material;
 Indochromic Brown




Recommended
 Minimum Height
 18mm

INDO® Lens, US
AMPLY™ PROXIMITY
 Superfin 1.523 Organic Material




Recommended
 Minimum Height
 18mm

INDO® Lens, US
MICRA™
 Superfin 1.523 Organic Material




Recommended
 Minimum Height
 16mm

The Spectacle Lens Group/J&J
DEFINITY™
 CR-39, High Index 1.60,
 Transitions® Gray 1.50, Polycarbonate




Recommended
 Minimum Height
 18mm

KBco
EOS with HC16™
 Polarized Polycarbonate




Recommended
 Minimum Height
 17mm

KBco
Fusion I
 Conventional Plastic Polarized




Recommended
 Minimum Height
 20mm

KBco
Fusion II
 Polycarbonate Polarized



Recommended
 Minimum Height
 20mm


Landon Lens Mfg Corp.
MVP Platinum Plastic II
 CR 39



Recommended
 Minimum Height
 18mm

**Right Lens,
 Convex Side Up**

Location of
 ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
 Distance from
 180° Line


180° Line

For additional information on any of
 these progressive lenses, contact
 your local OLA member laboratory.
 They are the experts.

Landon Lens Mfg Corp.

MVP Platinum Poly

Polycarbonate




Recommended Minimum Height 17mm

Landon Lens Mfg Corp.

Channel 14 Plastic

CR 39




Recommended Minimum Height 14mm

Landon Lens Mfg Corp.

Channel 14 Poly

Polycarbonate




Recommended Minimum Height 14mm

L.B.I.

Fairvue

CR-39, 1.57 Mid Index Plastic;
1.56 Photochromic




Recommended Minimum Height 22mm

Melibrad

Melibrad Progressive

Plastic Polarized




Recommended Minimum Height 18mm

Melibrad

Polar-Ray Progressive

Conventional Plastic Polarized




Recommended Minimum Height 22mm

Melibrad

Polar-Ray Progressive

Plastic Polarized




Recommended Minimum Height 16mm

Nassau Lens Company

Nalco® Progressive

Conventional Plastic; 1.56 Photochromic




Recommended Minimum Height 19mm

Optical Dynamics

Continual Focus Lens™ (CFL)


High Index and High Index Photochromic



Recommended Minimum Height 18mm

**Right Lens,
Convex Side Up**

Location of
ADD Power




DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line

180° Line


For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Optical Dynamics
Paradigm® Progressive
 1.56 Index Clear, Photochromic




Recommended Minimum Height 22mm

Optical Dynamics
Paradigm® Short Corridor
 High Index and High Index Photochromic




Recommended Minimum Height 16mm

Optima, Inc.
Natural Sight Hyperview™ 166
 1.66 High Index Plastic




Recommended Minimum Height 23mm

Optima, Inc.
Resolution Response
 Polycarbonate



Recommended Minimum Height 18mm


Optixx AG
axcess plus
 CR-39, CR-39 Transitions®, Trivex®, Index 1.60, Index 1.67, 1.67 Transitions®, High Index 1.74



Recommended Minimum Height 17mm

**Characters indicate lens material


Pentax, div. of Seiko Optical
AF® 1.50
 Conventional Plastic



Recommended Minimum Height 20mm


DISCONTINUED

Pentax, div. of Seiko Optical
AF® 1.60
 1.60 High Index Plastic




Recommended Minimum Height 20mm

Pentax, div. of Seiko Optical
AF® 1.67
 1.67 High Index Plastic



Recommended Minimum Height 20mm


Pentax, div. of Seiko Optical
AF mini™ 1.50
 Conventional Plastic



Recommended Minimum Height 17mm

Right Lens, Convex Side Up

Location of ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross Distance from 180° Line


180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

Pentax, div. of Seiko Optical

AF mini™ 1.60

1.60 High Index Plastic




Recommended Minimum Height 17mm

A

Pentax, div. of Seiko Optical

AF mini™ 1.67

1.67 High Index Plastic




Recommended Minimum Height 17mm

B

Pentax, div. of Seiko Optical

DC mini™

Polycarbonate




Recommended Minimum Height 19mm

C

DISCONTINUED

Lite 1.60 Progressive

1.60 High Index Plastic




Recommended Minimum Height 17mm

D

DISCONTINUED

Plastic Progressive

Conventional Plastic




Recommended Minimum Height 17mm

E

Futurise™

1.56 SunSensors™ Photochromic Grey and Brown




Recommended Minimum Height 18mm

F

Futurise™

Conventional Plastic




Recommended Minimum Height 20mm

G

Micro

1.56 SunSensors™ Photochromic Grey and Brown; LiteAir Polycarbonate Clear




Recommended Minimum Height 16mm

H

GIA Starlite Gold

Polycarbonate




Recommended Minimum Height 19mm

I

Right Lens, Convex Side Up

Location of ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross Distance from 180° Line

180° Line


For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

DISCONTINUED

PolyLite Taiwan Co, Ltd

GIA Starlite L

Polycarbonate




Recommended Minimum Height 24mm

A

PRIO Corporation

PRIO Browser Lens

CR 39




Recommended Minimum Height 16mm

B

PRIO Corporation

PRIO Computer Lens

CR 39




Recommended Minimum Height 16mm

C

Rodenstock North America

Cosmolit® Office

1.50 Plastic



Recommended Minimum Height 20mm


D

** Characters indicate base curve and lens material

Rodenstock North America

Multigressiv® 2

Conventional Plastic; 1.6 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; Polycarbonate



Recommended Minimum Height 18mm


E

**Characters indicate one or more: lens design/base curve/lens material

Rodenstock North America

Progressiv® AT

1.56 Mid Index Plastic, Clear and Colormatic®; 1.60 High Index Plastic; Polycarbonate



Recommended Minimum Height 18mm


F

** Characters indicate one or more: lens design/base curve/lens material

Rodenstock North America

Progressiv life® 2

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; Polycarbonate; 1.6 High Crown Clear and Colormatic™ Glass



Recommended Minimum Height 18mm


G

**Characters indicate one or more: lens design/base curve/lens material

Rodenstock North America

Progressiv SI

Conventional Plastic



Recommended Minimum Height 18mm


H

**Characters indicate base curve and lens material

Rodenstock North America

Progressiv® XS

Conventional Plastic; 1.52 ColorMatic, Gray; 1.60 High Index Plastic; 1.67 High Index Plastic; Polycarbonate




Recommended Minimum Height 14mm

I

**Characters indicate base curve and lens material

Right Lens, Convex Side Up

Location of ADD Power




DIAGRAMS ARE NOT TO SCALE

Fitting Cross Distance from 180° Line

180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.


RSE Optics
TOKAI 13
High Index 1.70



**Recommended
Minimum Height
15.5mm**

A


RSE Optics
TOKAI 15
High Index 1.70



**Recommended
Minimum Height
17.5mm**

B

DISCONTINUED Seiko Optical
P6
Conventional Plastic




**Recommended
Minimum Height
24mm**

C

Seiko Optical
1.67 Proceed®

1.67 High Index Plastic; Transitions® Gray




**Recommended
Minimum Height
20mm**

D

Seiko Optical
1.67 Proceed® II Short

1.67 High Index Plastic; Transitions®,
Gray and Brown




**Recommended
Minimum Height
18mm**

E

Seiko Optical
**1.67 Super Proceed® Internal
(12 mm Corridor)**

1.67 High Index Plastic




**Recommended
Minimum Height
16mm**

F

Seiko Optical
**1.67 Super Proceed® Internal
(14 mm Corridor)**

1.67 High Index Plastic




**Recommended
Minimum Height
18mm**

G

Shamir Insight Inc.
Autograph™

Conventional Plastic




**Recommended
Minimum Height
19mm**

H

Shamir Insight Inc.
Autograph™

1.60 High Index Plastic




**Recommended
Minimum Height
19mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line


180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Shamir Insight Inc.

Genesis™

Conventional Plastic; 1.50 Transitions
Brown & Gray




**Recommended
Minimum Height
19mm**

A

Shamir Insight Inc.

Genesis™

Conventional Plastic Polarized Gray & Brown




**Recommended
Minimum Height
19mm**

B

Shamir Insight Inc.

Genesis™

Trivex™




**Recommended
Minimum Height
19mm**

C

Shamir Insight Inc.

Genesis™

1.60 High Index Plastic




**Recommended
Minimum Height
19mm**

D

Shamir Insight Inc.

Genesis™

1.67 High Index Plastic;
1.67 High Index Transitions® V




**Recommended
Minimum Height
19mm**

E

Shamir Insight Inc.

Genesis™

1.60 Clear Glass, 1.60 PhotoGray Extra®




**Recommended
Minimum Height
19mm**

F

Shamir Insight Inc.

Genesis™

Polycarbonate




**Recommended
Minimum Height
20mm**

G

Shamir Insight Inc.

Genesis™

Polycarbonate Transitions® V




**Recommended
Minimum Height
20mm**

H

Shamir Insight Inc.

Office™

Conventional Plastic




**Recommended
Minimum Height
16mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line


180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Shamir Insight Inc.

Office™

Polycarbonate




Recommended Minimum Height 16mm

A

Shamir Insight

Piccolo®

Conventional Plastic;
1.50 Index Transitions® Gray




Recommended Minimum Height 16mm

B

Shamir Insight

Piccolo®

1.60 High Index Plastic; 1.60 High Index
Transitions® V




Recommended Minimum Height 16mm

C

Shamir Insight

Piccolo®

Polycarbonate




Recommended Minimum Height 16mm

D

Shamir Insight

Piccolo®

Polycarbonate Transitions® V




Recommended Minimum Height 16mm

E

Shamir Insight

Piccolo®

1.52 Clear Glass




Recommended Minimum Height 16mm

F

Shamir Insight

Piccolo®

1.52 Thin & Dark™ Gray




Recommended Minimum Height 16mm

G

Shore Lens Company

balance®

Conventional Plastic; SunSensors™;
Polycarbonate




Recommended Minimum Height 18mm

H

Shore Lens Company

balance® mini

Conventional Plastic




Recommended Minimum Height 16mm

I

Right Lens, Convex Side Up

Location of ADD Power



Nasal

DIAGRAMS ARE NOT TO SCALE


Fitting Cross Distance from 180° Line

180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

Shore Lens Company
ShoreView

Conventional Plastic; 1.56 Photochromic




**Recommended
Minimum Height
19mm**

A

Signet Armorlite
KODAK Concise™

Conventional Plastic




**Recommended
Minimum Height
17mm**

B

Signet Armorlite
KODAK Concise™

1.56 SunSensors™, 1.56 EvoClear™,
1.56 InstaShades™




**Recommended
Minimum Height
17mm**

C

Signet Armorlite
KODAK Concise™

Polyclear™ 1.586




**Recommended
Minimum Height
17mm**

D

Signet Armorlite
KODAK Concise™

1.67 High Index




**Recommended
Minimum Height
17mm**

E

Signet Armorlite
KODAK Concise™

EvoClear™ 1.60, InstaShades™ 1.60




**Recommended
Minimum Height
17mm**

F

Signet Armorlite
KODAK Precise™

Polyclear™ 1.586




**Recommended
Minimum Height
20mm**

G

Signet Armorlite
KODAK Precise™

EvoClear™ 1.60, InstaShades™ 1.60




**Recommended
Minimum Height
20mm**

H

Signet Armorlite
KODAK Precise™

EvoClear™ 1.56, SunSensors® 1.56,
InstaShades™ 1.56




**Recommended
Minimum Height
20mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross
Distance from
180° Line

180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Signet Armorlite
KODAK Precise™

Conventional Plastic, Polar Shades™




**Recommended
Minimum Height
20mm**

A

Signet Armorlite
KODAK Precise™

1.67 High Index




**Recommended
Minimum Height
20mm**

B

Signet Armorlite
KODAK Progressive

Conventional Plastic, 1.50 Polarized*




*Polarized discontinued

**Recommended
Minimum Height
20mm**

C

Signet Armorlite
KODAK Progressive

1.56 SunSensors™, 1.56 EvoClear™




**Recommended
Minimum Height
20mm**

D

Signet Armorlite
KODAK Progressive

1.60 EvoClear™




**Recommended
Minimum Height
20mm**

E

DISCONTINUED
Signet Armorlite
KODAK Progressive

Polyclear™1.586




**Recommended
Minimum Height
20mm**

F

Signet Armorlite
Navigator® Precision

Conventional Plastic, PolarShades™ 1.50




**Recommended
Minimum Height
20mm**

G

Signet Armorlite
Navigator® Precision

1.56 SunSensors™, 1.56 EvoClear™




**Recommended
Minimum Height
20mm**

H

Signet Armorlite
Navigator® Precision

EvoClear™ 1.6




**Recommended
Minimum Height
20mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross
Distance from
180° Line

180° Line

Nasal

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.


Signet Armorlite
Navigator® Precision
 Polyclear™ 1.586



**Recommended
 Minimum Height
 20mm**

A


Signet Armorlite
Navigator® Short
 EvoClear™ 1.56, SunSensors®



**Recommended
 Minimum Height
 17mm**

B

Signet Armorlite
Navigator® Short
 Conventional Plastic




**Recommended
 Minimum Height
 17mm**

C

DISCONTINUED


Signet Armorlite
PEII™
 Conventional Plastic



**Recommended
 Minimum Height
 22mm**

D


SOLA Optical
Access®
 Conventional Plastic



**Recommended
 Minimum Height
 15mm**

E


SOLA Optical
Access®
 Polycarbonate



**Recommended
 Minimum Height
 15mm**

F


SOLA Optical
Continuum™
 Polycarbonate



**Recommended
 Minimum Height
 15mm**

G


SOLA Optical
Continuum™
 Spectralite®



**Recommended
 Minimum Height
 15mm**

H

SOLA Optical
Percepta®
 Conventional Plastic, Transitions®, Polarized




**Recommended
 Minimum Height
 18mm**

I

**Characters indicate base curve/lens design.

**Right Lens,
 Convex Side Up**

Location of
 ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
 Distance from
 180° Line


180° Line

Nasal

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

SOLA Optical
Percepta®

Clear 16™ Glass, PhotoGray Extra, 16™




**Characters indicate base curve/lens design.

A

SOLA Optical
Percepta®

Finalite 1.6®




**Characters indicate base curve/lens design.

B

SOLA Optical
Percepta®

Spectralite®, Spectralite Velocity™ Transitions®




**Characters indicate base curve/lens design.

C

SOLA Optical
Percepta®

Polycarbonate




**Characters indicate base curve/lens design.

D

SOLA Optical
SOLAMAX™


Spectralite®, Spectralite Velocity™ Transitions®



E

SOLA Optical
SOLAMAX™


Polycarbonate, Polycarbonate Transitions®



F

SOLA Optical
SOLAMAX™


Conventional Plastic; Transitions®



G

SOLA Optical
SOLAOne™


Conventional Plastic; Transitions®



H

SOLA Optical
SOLAOne™


Finalite 1.6®



I

**Right Lens,
Convex Side Up**

Location of
ADD Power




DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line
180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.


**SOLA Optical
SOLAOne™**

Polycarbonate; Polycarbonate Transitions®




**SOLA Optical
SOLAOne™**

1.67 High Index Plastic;
1.67 High Index Transitions®




**SOLA Optical
VIP**

Conventional Plastic, Transitions®




**SOLA Optical
VIP**

Clear Glass, PhotoGray Extra®




**SOLA Optical
VIP**

Polycarbonate,
Polycarbonate Transitions®




**SOLA Optical
VIPGold®**

Spectralite®, Spectralite Velocity™ Transitions®




**SOLA Optical
Visuality®**

Conventional Plastic




**SOLA Optical
Visuality®**

Spectralite®, Spectralite Velocity™ Transitions®




**SOLA Optical
Visuality®**

Polycarbonate, Polycarbonate Transitions®



**Right Lens,
Convex Side Up**

Location of
ADD Power




DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line
180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

**SOLA Optical
XL**

PhotoGray Extra®




**Recommended
Minimum Height
18mm**

A

**SOLA Optical
XL**

Conventional Plastic, Transitions®,
Polycarbonate




**Recommended
Minimum Height
18mm**

B

**SOLA Optical
XLGold**

Spectralite®, Spectralite Velocity™ Transitions®




**Recommended
Minimum Height
18mm**

C

**SOMO OPTICAL
SOMOLux**

1.60 High Index




**Recommended
Minimum Height
17mm**

D

**SOMO OPTICAL
SOMOLux**

CR 39




**Recommended
Minimum Height
19mm**

E

**Specialty Lens
iRx Pro**

CR 39; 1.56 Plastic Polarized




**Recommended
Minimum Height
18mm**

F

**Specialty Lens
Opti-Pol/Polar PAL**

CR 39 Polarized (Opti-Pol only);
1.56 Index Polarized, 1.56 Index Clear (Both)




**Recommended
Minimum Height
22mm**

G

**Specialty Lens
Shorty PAL**

CR 39 Polarized; CR 39 Clear;
1.56 Index Polarized; 1.56 Index Clear




**Recommended
Minimum Height
16mm**

H

**Vision-Ease
Illumina™**

Tegra® Polycarbonate clear




**Recommended
Minimum Height
17mm**

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



Nasal

DIAGRAMS ARE NOT TO SCALE


Fitting Cross
Distance from
180° Line

180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

Vision-Ease Outlook®


Tegra® Polycarbonate clear; Polycarbonate SunRX® polarized; Polycarbonate Transitions®; Hard Resin SRC®; Hard Resin Transitions®; 1.60 Index Glass, PBX, PGX



A

X-Cel Optical Freedom Fashion Fit™


Polycarbonate



B

X-Cel Optical Freedom Fashion Fit™


Conventional Plastic hard coated, Thin & Dark Gray Glass



C

X-Cel Optical Freedom5™


CR-39, Transitions Gray, High-X (1.55 index), Polarized CR-39 Gray 3 & Brown 3, Glass Clear Crown, Gray 3, PGX, PBX, Autumn Gold, Clear 1.6, Thin & Dark Gray, Glass Polarized: Gray 1&3, Brown 1&3 Photo Gray, Brown & Autumn Gold



D

Younger Optics Image®


Conventional Plastic, Conventional Plastic Polarized, Transitions®, Polycarbonate, Polycarbonate Polarized, Polycarbonate Transitions®



E

Younger Optics Image® 1.67 High Index


High Index 1.67 Clear, High Index 1.67 Transitions®



F

Younger Optics Image® Easy Lite™


Easy Lite™ High Index 1.55



G

Younger Optics Image® Trilogy™

Trivex™, Trivex™ Transitions®




H

Contact your OLA Member lab for additional copies of this valuable dispensing tool, and for information about many other "dispenser information" publications from OLA. Call 800-477-5652 or visit www.ola-labs.org

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross
Distance from
180° Line

180° Line


For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

Special Canadian Section

The progressive designs that follow are not distributed in the United States, but are available in Canada with markings and materials as shown in this special Canadian section.


American Optical AO Pro® 16

1.60 High Index Clear Glass,
PhotoGray Extra®, PhotoBrown Extra®




Carl Zeiss Optical, Inc. Gradal® Brevis 1.5

Conventional Plastic




Carl Zeiss Optical, Inc. Gradal® Brevis 1.6

1.6 Index Plastic




Carl Zeiss Optical, Inc. Gradal® 3

Conventional Plastic; 1.5 Clear Glass,
1.7 Clear Glass (Tital)




Carl Zeiss Optical, Inc. Gradal® Top

1.8 Clear Glass




ESSILOR CANADA Ovation®

Orma® Plastic; Transitions® Gray, Brown;
1.6 High Index Clear and PhotoBrown Glass



Right Lens,
Convex Side Up

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross
Distance from
180° Line
180° Line

For additional information on any of
these progressive lenses, contact
your local OLA member laboratory.
They are the experts.

ESSILOR CANADA

Varilux Comfort®

Ultra High Index 1.8 Clear Glass




Recommended Minimum Height 18mm

A

ESSILOR CANADA

Varilux® Ipseo

1.67 Thin & Lite®




Recommended Minimum Height 18mm

B

ESSILOR CANADA

Varilux® Omega

Orma Plastic




Recommended Minimum Height 14mm

C

ESSILOR CANADA

Varilux Panamic® 1.8

1.8 Ultra High Index Clear Glass




Recommended Minimum Height 18mm

D

Nikon Optical Canada

Nikon Go 1.50

Conventional Plastic




Recommended Minimum Height 18mm

E

Nikon Optical Canada

Nikon Go 1.60

High Index Plastic 1.60




Recommended Minimum Height 18mm

F

Nikon Optical Canada

Nikon Go 1.67

Ultra High Index Plastic 1.67




Recommended Minimum Height 18mm

G

Nikon Optical Canada

Nikon i 1.50

Conventional Plastic; Transitions Gray, Brown




Recommended Minimum Height 16mm

H

Nikon Optical Canada

Nikon i 1.60

High Index Plastic 1.60




Recommended Minimum Height 16mm

I

Right Lens, Convex Side Up

Location of ADD Power



DIAGRAMS ARE NOT TO SCALE

Fitting Cross Distance from 180° Line


180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

Nikon Optical Canada

Nikon i 1.67

Ultra High Index Plastic 1.67




Recommended Minimum Height 16mm

A

Nikon Optical Canada

Nikon i 1.74

Ultra High Index Plastic 1.74




Recommended Minimum Height 16mm

B

Nikon Optical Canada

Nikon Online 1.50

Conventional Plastic




Recommended Minimum Height 15mm

C

Nikon Optical Canada

Nikon Online 1.67

Ultra High Index Plastic 1.67




Recommended Minimum Height 15mm

D

Nikon Optical Canada

Privilege 1.50

Conventional Plastic; Transitions® Gray




Recommended Minimum Height 18mm

E

Nikon Optical Canada

Privilege 1.60

High Index Plastic




Recommended Minimum Height 18mm

F

Nikon Optical Canada

Privilege 1.67

Ultra High Index Plastic 1.67




Recommended Minimum Height 18mm

G

Plastic Plus Supremacy 1.67

1.67 High Index Plastic




Recommended Minimum Height 20mm

H

Plastic Plus Supremacy 1.67 Short

1.67 High Index Plastic




Recommended Minimum Height 18mm

I

Right Lens, Convex Side Up

Location of ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross Distance from 180° Line

180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

Rodenstock Canada Impression ILT

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; 1.6 High Index White, Photochromic Extra Gray, and Photochromic Extra Brown Glass




**Characters indicate base curve and lens material

A

Rodenstock Canada Impression ILT XS

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; 1.6 High Index White, Photochromic Extra Gray, and Photochromic Extra Brown Glass




**Characters indicate base curve and lens material

B

Rodenstock Canada Multigressiv® ILT

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; 1.6 High Index White, Photochromic Extra Gray, and Photochromic Extra Brown Glass




**Characters indicate base curve and lens material

C

Rodenstock Canada Multigressiv® ILT XS

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; 1.6 High Index White, Photochromic Extra Gray, and Photochromic Extra Brown Glass




**Characters indicate base curve and lens material

D

Rodenstock Canada Multigressiv® 2

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; 1.6 High Index White, Photochromic Extra Gray, and Photochromic Extra Brown Glass; 1.8 High Index White Glass




**Characters indicate one or more: lens design/base curve/lens material

E

Rodenstock North America Progressiv® AT

1.5 Plastic; 1.56 Mid Index Plastic, Clear and Colormatic® Gray, Brown; 1.60 High Index Plastic




** Characters indicate one or more: lens design/base curve/lens material

F

Rodenstock Canada Progressiv life® 2

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray and Brown Plastic; Polycarbonate; 1.6 High Crown Clear and Colormatic™ Glass, 1.8 High Crown Glass




**Characters indicate one or more: lens design/base curve/lens material

G

Rodenstock Canada Progressiv life® XS

Conventional Plastic; 1.6 High Index Plastic; 1.67 High Index Plastic; 1.52 ColorMatic® Extra Gray Plastic; Polycarbonate




**Characters indicate base curve and lens material

H

Rodenstock Canada Progressiv SI

Conventional Plastic, ColorMatic® Extra Gray Plastic; 1.6 High Crown Clear and Colormatic™ Glass




**Characters indicate base curve and lens material

I

**Right Lens,
Convex Side Up**

Location of
ADD Power



DIAGRAMS ARE NOT TO SCALE


Fitting Cross
Distance from
180° Line

180° Line

For additional information on any of these progressive lenses, contact your local OLA member laboratory. They are the experts.

Shamir Insight Inc.
Insight™


Conventional Plastic; 1.50 Transitions, Brown & Gray; 1.52 Clear Glass; 1.52 PhotoGray Extra;; 1.52 PhotoBrown Extra;; 1.60 Clear Glass



A

Shamir Insight Inc.
Insight™


1.60 Index Plastic



B

Shamir Insight Inc.
Insight™


1.52 Thin & Dark™ Grey



C

How to Verify the PD & Height of Progressives

Center the frame over the pyramid lines, with The Fitting Cross lined up with the top horizontal line, marked "0." This is the 180° line as shown on the lens diagrams in the *Progressive Identifier*.



With the frame in this position, determine the monocular PD for each lens by reading the number on the horizontal line directly underneath the 180° line.

With the Fitting Cross positioned on the top line, the fitting height of each lens can be determined by reading the number on the line where the bottom of the lens rests.

Fitting Instructions for Progressive Lenses



Frame Fitting

1. Before taking any measurements, make sure the patient is sitting straight, without any back support.
2. Adjust the frame to correctly fit the patient.
3. Ensure a pantoscopic tilt of 9° -12°.
4. Minimize the vertex distance by fitting the frame as close to the face as possible. This will ensure a wide field of vision at all ranges.



Height Measurement Fitting

Be aware that the fitting height can differ from eye to eye.

1. Position yourself at the patient's eye level.
2. Mark the pupil center on the demo lens in the frame.



Pupil Distance Measurement

Be aware that the PD can differ from eye to eye.

1. Whenever possible, use a pupillometer for measuring pupil distance, as this provides the most accurate results.
2. If a pupillometer is not available:
 - a. Position yourself at the patient's eye level, making sure he or she is looking directly into your eyes.
 - b. Mark the pupil center on the demo lens in the frame.
 - c. Place the demo lens on the centration chart and read the monocular PD.

Cut-Out Confirmation

1. Check both the right and left lenses.
2. Align the pupil center marking over the cross on the centration chart.
3. Make sure the frame shape falls within the selected lens diameter.



Lens Verification

1. If lenses are not marked, restore the markings with a marker.
2. Fit the frame with the glazed lenses on the patient and verify that the fitting cross is aligned with the pupil center.



OLA's highly regarded dispenser and consumer education materials promoting premium eyewear products – available through any OLA member laboratory.

Practice Building Tools

Available exclusively through OLA-Member Laboratories

Call your lab ...

Call OLA

800-477-5652

or visit the Lab Directory at

www.ola-labs.org

ANSI Z80 Ophthalmic Standards are available online at the ANSI webstore.

Go to: webstore.ansi.org and search for Z80.

The list of standards available in January 2005 is shown below.

The ANSI Z87.1-2003 Safety Eyewear Standard is available online at: www.asse.org in the Shop Online section.

Z80.1-1999	Prescription Ophthalmic Lenses
Z80.10-2003	Tonometers
Z80.17-2001	Focimeters
Z80.18-2003	Contact Lens Care Products
Z80.20-1998	Contact Lenses
Z80.21-1992 (R1998)	Clinical Visual Acuity Charts
Z80.23-1999	Corneal Topography Systems
Z80.24-2002	Information Interchange for Ophthalmic Optical Equipment
Z80.25-1996 (R2002)	Instruments: Fundamental Requirements and Test Methods
Z80.26-1996 (R2003)	Data Processing and Interchange Information for Instruments
Z80.27-2001	Aqueous Shunts for Glaucoma Application
Z80.28-2004	Methods for Reporting Optical Aberrations of Eyes
Z80.3-2001	Nonprescription Sunglasses and Fashion Eyewear
Z80.5-2004	Ophthalmic Frames
Z80.7-2002	Intraocular Lenses
Z80.9-1998	Low Vision Aids

Copyright© January 2005 Optical Laboratories Association (OLA). All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means whatsoever, except in the case of brief quotations embodied in critical reviews and articles.

All lens information was supplied by the manufacturer. The information in this book is subject to change without notice and should not be construed as a commitment by OLA. Although every precaution has been taken in the preparation of this book, OLA assumes no responsibility for errors or omissions.

All trademarks are the property of their respective owners.

Compiled and edited by Sara Shapiro, North Caldwell, New Jersey. Designed by Karen Blankenship, Blankenship Design, Brooklyn, New York. Printed by FCS Communications, Rockville, Maryland.

Please address comments and questions to the publisher: Optical Laboratories Association, PO Box 2000, Merrifield, VA 22116-2000; Phone: 800-477-5652 or 703-359-2830; Fax 703-359-2834; ola@ola-labs.org; www.ola-labs.org; Robert L. Dziuban, Executive Director





Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range	
					Temple		Nasal			
					180	Below	180			
AO	AO b'Active	Hard Resin 1.49, CR-307 Hard Resin, 1.50, Transitions Green, Hard Resin 1.499 NiuPolar	Very Soft/Multi	18 mm	○	Add	○	bA	-9.00 to +5.00	1.00 to 3.00
AO	AO b'Active Rugged Fashionwear	Poly	Very Soft/Multi	18 mm	○	Add	○	Ap	-9.00 to +5.00	1.00 to 3.00
AO	AO Compact	Plastic, Transitions	Semi Soft/Multi	17 mm	○	Add	○	C	-9.00 to +5.00	0.75 to 3.50
AO	AO Compact Rugged Fashionwear	Poly	Semi Soft/Multi	17 mm	○	Add	○	CP	-9.00 to +5.00	1.00 to 3.00
AO	AO Compact 55	1.537	Semi Soft/Multi	17 mm	○	Add	○	CS	-9.00 to +5.00	0.75 to 3.50
AO	AO Compact 55	1.537 Transitions	Semi Soft/Multi	17 mm	○	Add	○	CS	-9.00 to +5.00	1.00 to 3.00
AO	AO Compact 55	1.537	Semi Soft/Multi	17 mm	○	Add	○	CS	-9.00 to +5.00	0.75 to 3.50
AO	AO Compact 55	1.537 Transitions	Semi Soft/Multi	17 mm	○	Add	○	CS	-9.00 to +5.00	1.00 to 3.00
AO	AO Compact 16	1.6	Semi Soft/Multi	17 mm	○	Add	○	CF	-10.00 to +6.00	0.75 to 3.50
AO	AO Easy	Plastic, Transitions	Soft/Multi	18 mm	○	Add	○	PE	-10.00 to +6.00	0.75 to 3.50
AO	AO Easy Rugged Fashionwear	Poly	Soft/Multi	18 mm	○	Add, P	○	PE	-9.00 to +5.00	1.00 to 3.00
AO	AO Easy 16	1.6	Soft/Multi	18 mm	○	Add, 6	○	PE	-10.00 to +6.00	0.75 to 3.50
AO	AO Force 55	1.54	Soft/Multi	22 mm	⊖	Add, M	⊖	AO	-8.00 to +5.00	0.75 to 3.50
AO	AO Pro 15	Plastic	Soft/Multi	22 mm	⊖	Add	⊖	PRO	-9.00 to +5.00	0.75 to 3.50
		Transitions NG	Soft/Multi						-9.00 to +5.00	1.00 to 3.50
		Transitions XTRActive	Soft/Multi						-9.00 to +5.00	0.75 to 3.50
		Glass, PBX, PGX	Soft/Multi						-5.00 to +5.00	0.75 to 3.50
AO	AO Pro 16	1.60 (Glass), PBX, PGX	Soft/Multi	22 mm	⊖	Add, H	⊖	AO	-8.00 to +5.00	0.75 to 3.50
AO	AO Pro 16	Poly	Soft/Multi	22 mm	G	Add	G		-8.00 to +5.00	0.50 to 3.50
AO	AO Pro Rugged Fashionwear	Poly	Soft/Multi	22 mm	P	Add	P		-8.00 to +5.00	0.50 to 3.50
AO	TruVision	Plastic (centered), Glass, PGX	Hard	22 mm	○	Add	○	AO	-5.00 to +5.00	1.00 to 3.00
AO	TruVision	Plastic (decentered)	Hard	22 mm	○	Add	○	AO+		

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range	
					Temple		Nasal			
					180	Below	180 Below			
AO	TruVision Omni	Plastic	Soft	22 mm	○	Add	○	AOB	-5.00 to +2.00	0.75 to 3.00
		Glass, PBX, PGX	Soft							-5.00 to +5.00
AO	TruVision Omni	Poly	Soft	22 mm	○	Add, π	○	AOB	-8.00 to +5.00	0.50 to 3.00
AO	TruVision Technica	Plastic	Soft	22 mm	○	Add, T	○	AOT	-5.00 to +2.00	1.00 to 3.00
C&E Distributing	Polarex Pro	Polar Plastic		22 mm	○	Add	○			
Cobra Vision	GIA Starlite L	N Poly		24 mm	○	Add	○			
Cobra Vision	GIA Starlite Gold	N Poly		20 mm	◇	Add	◇	PC	-6.00 to +4.00	1.00 to 3.00
Essilor	Adaptar	Hard Resin, 1.5 Transitions	Hard/Multi	18 mm	◇	Add	◇	III	-10.00 to +7.00	0.75 to 3.50
		Glass, PGX	Hard/ Multi						-8.00 to +6.00	0.75 to 3.50
Essilor	Adaptar	1.6	Hard/ Multi	18 mm	◇	Add	◇	III6	-12.00 to +8.00	0.75 to 3.50
Essilor	Adaptar	OrmeX, OrmeX Transitions Gray	Hard/Multi	18 mm	◇	Add	◇	AX	-10.00 to +6.00	0.75 to 3.50
Essilor	Adaptar	Poly	Hard/ Multi	18 mm	◇	Add	◇	AP	-10.00 to +6.50	0.75 to 3.50
Essilor	Natural	Hard Resin; 1.5 Transitions, 1.6, PGX		18 mm	○	Add	○	Σ	-10.00 to +6.00	0.75 to 3.50
		1.6 Glass, 1.6 PGX							-8.00 to +6.00	0.75 to 3.50
Essilor	Natural	OrmeX, OrmeX Transitions Gray	Soft/Multi	18 mm	○	Add	○	ΣX	-10.00 to +6.00	0.75 to 3.50
Essilor	Natural	1.6	Soft/Multi	18 mm	○	Add	○	Σ6	-10.00 to +8.00	0.75 to 3.50
Essilor	Natural	Poly Transitions NG	Soft/Multi	18 mm	○	Add	○	Σp	-10.00 to +6.00	0.75 to 3.50
Essilor	Ovation	Plastic	Semi Soft/Multi	17 mm	○	Add	○	∫	-10.00 to +6.00	0.75 to 3.50
Essilor	Ovation	Poly Transitions	Semi Soft/Multi	17 mm	○	Add	○	∫ P	-10.00 to +6.00	0.75 to 3.50
Essilor	Ovation	1.67	Semi Soft/Multi	17 mm	○	Add	○	∫ 67	-10.00 to +6.00	0.75 to 3.50
Essilor	Super No Line (SNL)	Hard Resin	Very Hard	21 mm	○	Add	○		-10.00 to +7.00	0.75 to 3.50
Essilor	Varilux Comfort	Plastic, Plastic Transitions, Polarized	Soft/Multi/Add	18 mm	○	Add	○	⊙	-9.00 to +7.00	0.75 to 3.50
									-9.00 to +6.00	0.75 to 3.00
		1.6 Glass, 1.6 PGX								-8.00 to +5.00

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range	
					Temple		Nasal			
					180	Below	180 Below			
Essilor	Varilux Comfort	N Ormex, Ormex Transitions Gray	Soft/Multi/Add	18 mm	○	Add	○	Ⓢ X	-10.00 to +6.00	0.75 to 3.50
Essilor	Varilux Comfort	N Poly	Soft/Multi/Add	18 mm	○	Add	○	Ⓢ P	-9.00 to +6.00	0.75 to 3.00
Essilor	Varilux Comfort	N 1.6	Soft/Multi/Add	18 mm	○	Add	○	Ⓢ 6	-12.00 to +8.00	0.75 to 3.50
Essilor	Varilux Comfort	N 1.67	Soft/Multi/Add	18 mm	○	Add	○	Ⓢ π	-12.00 to +8.00	0.75 to 3.50
Essilor	Varilux Ellipse	N Plastic	Semi Soft/Multi	14 mm					-10.00 to +6.00	0.75 to 3.00
Essilor	Varilux Panamic	N Plastic, Plastic Transitions	Extra/Soft	18 mm	○	Add	○	Ⓢ	-10.00 to +6.00	0.75 to 3.50
Essilor	Varilux Panamic	Photobronze 16 1.6 Glass	Extra/Soft	18 mm	○	Add	○	Ⓢ	-8.00 to +6.00	0.75 to 3.50
Essilor	Varilux Panamic	N Poly, Poly Transitions	Extra/Soft	18 mm	○	Add	○	Ⓢ P	-10.00 to +6.00	0.75 to 3.50
Essilor	Varilux Panamic	N Ormex Transitions Gray	Extra/Soft	18 mm	○	Add	○	Ⓢ X	-10.00 to +6.00	0.75 to 3.50
Essilor	Varilux Panamic	N 1.6	Extra/Soft	18 mm	○	Add	○	Ⓢ 6	-12.00 to +8.00	0.75 to 3.50
Essilor	Varilux Panamic	N 1.67	Extra/Soft	18 mm	○	Add	○	Ⓢ π	-12.00 to +8.00	0.75 to 3.50
Gentex Optics	Profile	Poly		23 mm	G	Add, π	G			
Gentex Optics	Smooth and Lite	Poly		23 mm	○	Add	○	AOB		
Hoya	Hoyalux Bios	D 1.55, 1.55 Sungray		20 mm	○	Add	○	β	-10.00 to +6.00	0.75 to 3.50
Hoya	Hoyalux GP	Plastic	Hard/Multi	19 mm	○	Add	○	G1	-8.00 to +6.00	0.75 to 3.50
Hoya	Hoyalux GP Wide	Plastic	Soft/Multi	18 mm	○	Add	○	W1	-9.00 to +6.00	0.75 to 3.50
Hoya	Hoyalux GP Wide	1.6	Soft/Multi	18 mm	○	Add	○	W3	-10.00 to +6.00	0.75 to 3.50
Hoya	Hoyalux GP Wide	1.7	Soft/Multi	18 mm	○	Add	○	W4	-13.00 to +8.00	0.75 to 3.50
Hoya	Hoyalux GP Wide	Phoenix / Trivex	Soft/Multi	18 mm	○	Add	○	WX	-10.00 to +6.00	0.75 to 3.50
Hoya	Hoyalux Summit 13	1.6	Soft/Multi	16 mm	○	Add	○	S3	-10.00 to +6.00	0.75 to 3.50
Hoya	Hoyalux Summit cd	Plastic	Soft/Multi	14 mm	○	Add	○	CD1		
Hoya	Hoyalux Summit cd	1.6	Soft/Multi	14 mm	○	Add	○	CD3		
Hoya	Hoyalux Summit cd	1.7	Soft/Multi	14 mm	○	Add	○	CD4		
Hoya	Hoyalux Summit ecp	Plastic	Soft/Multi	18 mm	○	Add	○	SP1		

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings				Power Range	Add Range
					Temple		Nasal			
					180	Below	180	Below		
Hoya	Hoyalux Summit ecp	Plastic	Soft/Multi	18 mm	<i>Add</i>	○	○	SP1		
Hoya	Hoyalux Summit ecp	Phoenix / Trivex	Soft/Multi	18 mm	<i>Add</i>	○	○	SPX		
Hoya	Hoyalux Summit ecp	1.6	Soft/Multi	18 mm	<i>Add</i>	○	○	SP3		
Hoya	Hoyalux Summit ecp	1.7	Soft/Multi	18 mm	<i>Add</i>	○	○	SP4		
Hoya	Hoyalux Tact GT	Plastic		Var	<i>Add</i>	○	○	⊥	-7.00 to +6.00	1.00 to 3.00
KBco	Fusion I	Plastic Polarized	Soft/Multi	20 mm	<i>Add</i>	○	○	TLX	-9.00 to +5.75	1.00 to 3.00
KBco	Fusion II	Poly Polarized	Soft/Multi	20 mm	<i>Add</i>	○	○	KB	-9.00 to +5.75	1.00 to 3.00
KBco	Solaris	Plastic Polarized		22 mm	<i>Add</i>	○	○			
Melbrad	Polar-Ray Progressive	Plastic Polarized		22 mm	<i>Add</i>	○	○			
Melbrad	Polar-Ray Progressive	Plastic Polarized		16 mm	<i>Add</i>	○	○			
Melbrad	Melbrad Progressive	Plastic Polarized		18 mm	<i>Add Y</i>	○	○	Y		
Optical Dynamics	Continual Focus Lens (CFL)	N 1.6, 1.6 Photochromic		19 mm	<i>Add</i>	○	○	Q		
Optical Dynamics	FC S	D 1.51, 1.51 Photochromic		22 mm	<i>Add</i>	○	○			
Optical Dynamics	FC Plus	D 1.51		22 mm	<i>Add</i>	○	○	FC		
Optical Dynamics	Paradigm Progressive	N 1.56, 1.56 Photochromic		22 mm	<i>Add</i>	○	○	ODC		
Optical Dynamics	Paradigm Short Corridor	N 1.6, 1.6 Photochromic		16 mm	<i>Add</i>	○	○	SC		
Optima	Natural Sight Hyperview 166	1.66		23 mm	<i>Add</i>	○	○	3	-15.00 to +6.00	0.75 to 3.50
Optima	Progressive Z	D 1.6			<i>Add</i>	○	○	Λ		
Pentax	Lite 1.60 Progressive	D 1.6			<i>Add</i>	Ⓡ		Ⓡ		
Pentax	Plastic Progressive	D Plastic			<i>Add</i>	Ⓡ		Ⓡ		
Pentax	AF 1.50	Plastic		20 mm	<i>C Add</i>	○	○	J6		1.00 to 3.00
Pentax	AF 1.60	1.6		20 mm	<i>A Add</i>	○	○	J6		1.00 to 3.00
Pentax	AF 1.66	1.66		20 mm	<i>S Add</i>	○	○	J6		0.50 to 4.00

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings				Power Range	Add Range
					Temple		Nasal			
					180	Below	180	Below		
Pentax	AF mini 1.66	1.66		17 mm	○	S Add	○	J4		0.50 to 3.00
Pentax	AF mini 1.60	1.6		17 mm	○	A Add	○	J4		1.00 to 3.00
Pentax	AF mini 1.50	Plastic		17 mm	○	C Add	○	J4		1.00 to 3.00
Pentax	DC mini	Poly		17 mm	◇	Add	◇	PC		
Polycore Optical Polyvision	Polycore Progressive	1.56 Photochromic Gray and Brown		18 mm	P	Add	P	PS		-8.00 to +7.00
Polycore Optical Polyvision	Polycore Progressive	CR-39		20 mm						-7.25 to +6.50
PRIO	PRIO Computer Lenses	CR-39		16 mm	⊙	Add	⊙	(S)		
Rodenstock	Multigraviv 2	Plastic	Very Soft/Multi	18 mm	◇	Add	◇	2		-9.00 to +8.00
		1.5 Colormatic Gray								-10.00 to +8.00
		1.5 Colormatic Brown								-9.00 to +8.00
		1.6								-10.00 to +8.00
		1.6 White and Colormatic Glass								-10.00 to +8.00
		1.8 Glass								-20.00 to -4.25
Rodenstock	Progressiv life 2	Plastic, Poly, 1.6, 1.5 Colormatic Gray and Brown. 1.6 clear and Colormatic Glass	Soft Multi	18 mm	◇	Add, R	◇	2 R		-10.00 to +8.00
Rodenstock	Progressiv life C	1.56		18 mm	◇	Add, R	◇	C R		
Rodenstock	Progressiv AT	1.56, 1.56 Colormatic	Soft Multi	18 mm	◇	Add, R	◇	R		-10.00 to +5.00
		1.6	Soft Multi							-10.00 to +8.00
		Poly	Soft Multi							
Rodenstock	Progressiv R	Plastic, Glass, PGX		22 mm	○	Add, R	○	R		
Rodenstock	Progressiv S	Plastic, 1.6, 1.6 Clear and Colormatic Glass		22 mm	□	Add, R	□	R		
Rodenstock	Progressiv SI	Plastic, Plastic Colormatic		18 mm	◇	Add, R	◇	R		-10.00 to +6.00
										0.75 to 3.50

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range	
					Temple		Nasal			
					180	Below	180 Below			
Rodenstock	Progressiv XS	Plastic, Poly, 1.6, 1.5 Colormatic Gray	Semi Soft/Multi	16 mm	□	Add, R	□	R	-10.00 to +6.00	0.75 to 3.00
Rodenstock	Cosmolit Office	Plastic		20 mm		Add			+6.00 to -6.00	1.00 to 3.50
Seiko	P6	Plastic, P6 thin, P6 Photochromic, 1.55		24 mm	S	Add	S			
Seiko	1.67 Proceed	1.67, 1.67 Transitions		20 mm	○	Add	○	G	-13.00 to +6.00	0.50 to 3.50
Seiko	1.67 Proceed II Short	1.67, 1.67 Transitions		18 mm	S	Add	S	W	-13.00 to +6.00	0.50 to 3.50
Seiko	Super Proceed	1.67		16 mm	S2	Add	S		-10.00 to +6.00	0.50 to 3.50
Shamir Insight	Autograph	Plastic		19 mm	☉	Add	☉	FF-CR/ SII		
Shamir Insight	Autograph	1.50 Transitions Brown and Gray		19 mm	☉	Add	☉	FF-TR/ SII		
Shamir Insight	Autograph	1.6		19 mm	☉	Add	☉	FF-16/ SII		
Shamir Insight	Genesis	Plastic, Transitions Brown and Gray		19 mm	☉	Add	☉		-9.00 to +6.00	0.75 to 3.00
Shamir Insight	Genesis	Polarized Plastic		19 mm	☉	Add	☉	PZ	-9.00 to +6.00	0.75 to 3.00
Shamir Insight	Genesis	Trivex		19 mm	☉	Add	☉	TX	-9.00 to +6.00	0.75 to 3.00
Shamir Insight	Genesis	1.60 Glass, PGX		19 mm	☉	Add	☉	6	-9.00 to +6.00	0.75 to 3.00
Shamir Insight	Genesis	1.6, Transitions		19 mm	✦	Add	✦	H	-11.25 to +7.00	0.75 to 3.00
Shamir Insight	Genesis	1.67		19 mm	✦	Add	✦	H67	-12.25 to +7.50	0.75 to 3.00
Shamir Insight	Genesis	Poly		19 mm	▽	Add	▽		-8.75 to +8.25	1.00 to 3.00
Shamir Insight	Insight	Plastic, 1.5 Transitions, 1.52 Glass, 1.52 PBX, PGX		22 mm	◇	Add	◇			
Shamir Insight	Insight Hi Index	1.57, 1.60, 1.56 Transitions, 1.60 Glass		22 mm	◇	Add	◇	HI		
Shamir Insight	Polycarbonate	Poly		22 mm	◇	Add	◇	PC		
Shamir Insight	Office	Plastic		13/16 mm	(Add)	☉	-6.00 to +6.00	0.75, 1.25, 1.75
Shamir Insight	Piccolo	1.52, Thin and Dark Gray		16 mm	☉	Add	☉		-9.00 to +6.00	0.75 to 3.00
Shamir Insight	Piccolo	Plastic, Transitions		16 mm	☉	Add	☉	☉	-8.25 to +5.75	0.75 to 3.00

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range
					Temple		Nasal		
					180	Below	180 Below		
Shamir Insight	Piccolo	Poly		16 mm	+	+	+		
Shamir Insight	Piccolo	1.5 Transitions		16 mm	+	+	+		
Shamir Insight	Piccolo	1.6		16 mm	+	+	+		
Shamir Insight	Shamir II	D Glass, PGX, PGB			○	○	○		
Shar Optical LLC	Polar Tech Pro	N Polarized Plastic		18 mm	+	+	+		
Shar Optical LLC	Polar Tech Premium Pro	N Polarized 1.57		18 mm	+	+	+		
Shore Lenses Co	Acclaim	N Plastic		17 mm	○	○	○		
Shore Lenses Co	balance	N Plastic, SunSensors, Polarized, Poly		19 mm	○	○	○		
Shore Lenses Co	Advanced Mini Design (AMD)	N Plastic		15 mm	○	○	○		
Signet Armorlite	Kodak Progressive	Plastic, Transitions	Soft	22 mm	+	+	+		
Signet Armorlite	Kodak Progressive	Plastic Polarized	Soft	22 mm	+	+	+		
Signet Armorlite	Kodak Progressive	1.56, 1.60	Soft	22 mm	+	+	+		
Signet Armorlite	Kodak Progressive	1.60 Glass	Soft	22 mm	+	+	+		
Signet Armorlite	Kodak Progressive	Poly	Soft	22 mm	+	+	+		
Signet Armorlite	Kodak Concise	Plastic	Semi Soft/Multi	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	1.56, 1.56 SunSensors, 1.60	Semi Soft/Multi	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	Poly	Semi Soft/Multi	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	1.6	Semi Soft/Multi	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	1.67	Semi Soft/Multi	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	Plastic	Extra/Soft	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	Poly	Extra/Soft	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	1.6	Extra/Soft	17 mm	+	+	+		
Signet Armorlite	Kodak Concise	Sun Sensors	Extra/Soft	17 mm	+	+	+		
Signet Armorlite	Navigator Precision	Plastic	Semi Soft	22 mm	+	+	+		
Signet Armorlite	Navigator Precision	1.56 Photochromic	Semi Soft	22 mm	+	+	+		

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range	
					Temple		Nasal			
					180	Below	180 Below			
Signet Armorlite	Navigator Precision	1.6	Semi Soft	22 mm	+	Add	+	< 6	-10.00 to +6.00	1.00 to 3.00
Signet Armorlite	Navigator Precision	Poly	Semi Soft	22 mm	+	Add	+	< P	-10.00 to +5.00	1.00 to 3.00
Signet Armorlite	Navigator Short	Poly	Semi Soft	17 mm	+	Add	+	< sP		1.00 to 3.00
Signet Armorlite	Navigator Short	1.6	Semi Soft	17 mm	+	Add	+	< s6		1.00 to 3.00
Signet Armorlite	Navigator Short	Sun Sensors	Semi Soft	17 mm	+	Add	+	< sl		1.00 to 3.00
Signet Armorlite	Navigator Short	Plastic	Semi Soft	17 mm	+	Add	+	< S		1.00 to 3.00
Signet Armorlite	PE II	Plastic		22 mm	+	Add	+	EII		
Signet Armorlite	Elegance	Plastic		22 mm	+	Add	+			
Signet Armorlite	Elegance	RLX Lite Hi Index		22 mm	+	Add	+	SA		
Sola	Percepta	Plastic, Transitions, Plastic Polarized Gray	Soft/ Multi	22 mm	H	Add	H		-7.00 to +6.00	0.75 to 3.50
Sola	Percepta	Glass, PGX	Soft/ Multi	22 mm		Add			-4.00 to +3.00	1.00 to 3.00
Sola	Percepta	1.6	Soft/ Multi	22 mm		Add			-7.00 to +6.00	0.75 to 3.50
Sola	Percepta	Spectralite, Transitions	Soft/ Multi	22 mm	S	Add	S		-7.00 to +6.00	0.75 to 3.50
Sola	Percepta	Poly	Soft/ Multi	22 mm	P	Add	P		-7.00 to +3.00	0.75 to 3.00
Sola	SOLAMAX	Spectralite, Transitions	Semi Soft	18 mm		Add S		A	-8.00 to +4.00	1.00 to 3.00
Sola	SOLAMAX	Poly	Semi Soft	18 mm		Add P		A	-8.00 to +4.00	1.00 to 3.00
Sola	SOLAOne	Plastic, Transitions	Very Soft/Multi	18 mm		Add H		~		1.00 to 3.50
Sola	SOLAOne	Poly	Very Soft/Multi	18 mm		Add P		~		1.00 to 3.00
Sola	SOLAOne	1.67	Very Soft/Multi	18 mm		Add M		~		1.00 to 3.50
Sola	VIP	Plastic	Hard	22 mm		Add			-12.00 to +6.00	0.75 to 3.00
Sola	VIP	Plastic Transitions	Hard	22 mm		Add			-7.00 to +6.00	1.00 to 3.00
Sola	VIP	Glass, PGX	Hard	22 mm		Add		S	-6.00 to +4.50	0.75 to 3.50
Sola	VIP	Thin and Dark PGX	Hard	22 mm		Add			-6.00 to +3.00	1.00 to 2.75
Sola	VIP Gold	Poly, Transitions	Hard	22 mm		Add		VIP	-10.00 to +4.50	1.00 to 3.00
Sola	VIP Gold	Spectralite	Softer/Hard	22 mm		Add		VG	-12.00 to +6.00	0.75 to 3.50
Sola	Visibility	Spectralite Transitions Gray	Softer/Hard	22 mm		Add			-8.00 to +6.00	1.00 to 3.00
Sola	Visibility	Plastic, Transitions	Semi Soft/Multi	22 mm		Add H			-8.00 to +6.00	0.75 to 3.50
Sola	Visibility	Spectralite, Transitions	Semi Soft/Multi	22 mm		Add S			-8.00 to +6.00	0.75 to 3.50

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range
					Temple		Nasal		
					180	Below	180		
Sola	Visuality	Poly, Transitions	Semi Soft/Multi	22 mm	☞	Add P	☞	-8.00 to +6.00	0.75 to 3.50
Sola	XL	PGX	Very Soft	22 mm	○	Add	○	-6.00 to +4.00	0.75 to 3.50
Sola	XL	Plastic, Poly	Very Soft	22 mm	☉	Add	☉	-10.00 to +4.50	1.00 to 3.00
Sola	XL Gold	Transitions NG	Very Soft	22 mm	☉	Add	☉	-4.00 to +6.00	1.00 to 3.50
		Spectralite	Very Soft/Multi	22 mm	☉	Add	☉	-12.00 to +6.00	0.75 to 3.50
		Spectralite Transitions Gray		22 mm	○	Add	○	-8.00 to +4.25	1.00 to 3.00
SLC	Opti-pol	Plastic Polarized, 1.56		22 mm	○	Add	○		1.00 to 3.00
SLC	Polar PAL	Plastic Polarized, 1.56		22 mm	○	Add	○		0.75 to 3.50
SLC	Shorty PAL	Plastic Polarized, 1.56		17 mm		Add			1.00 to 3.50
Vision-Ease	Delta	Plastic, Glass, PGX, Polarized Gray		19 mm	△	Add	△	∇	
Vision-Ease	Line Free	Poly, Plastic, Transitions		24 mm	△	Add	△		
Vision-Ease	VariVue	Poly, Plastic, 1.56, Poly Polarized, Glass		22 mm	⊙	Add	⊙	∇	
Vision-Ease	Outlook	Poly, Transitions, Hard Resin, 1.56, 1.60 Glass	Soft Multi	18 mm	○	Add	○	VEL	0.75 to 3.50
Vision-Ease	Premier	Poly Polarized		24 mm	△	Add	△	P	1.00 to 3.00
Vision-Ease	Premier Plus	Poly, Hard Resin		20 mm	○	Add	○	∇	
Vision-Ease	Premier Plus	Hard Resin, Hard Resin Polarized		20 mm	○	Add	○	∇	
X-Cel Optical	Freedom	Poly		20 mm	○	Add	○	∇	-10.00 to +8.00
X-Cel Optical	Freedom5	Plastic, Polarized, Glass		22 mm	◇	Add	◇		-6.00 to +5.50
		Plastic		22 mm	◇	Add	◇		-8.50 to +5.00
		Glass, PGX, PBX							1.00 to 3.50
		Polarized							1.00 to 3.50
		Plastic Transitions							1.00 to 3.00
X-Cel Optical	Freedom Fashion Fit	Poly		17 mm	▽	Add	▽		-6.00 to +4.00
X-Cel Optical	Freedom Fashion Fit	Plastic,		17 mm	◇	Add	◇		-5.25 to +6.00
				17 mm	◇	Add	◇		-8.50 to +5.00

Progressive Lens Chart

Courtesy of Laramy-K Optical

Manufacturer	Lens Style	Material	Design	Min Fit	Laser Markings			Power Range	Add Range	
					Temple		Nasal			
					180	Below				
		Thin and Dark Gray Glass								
Younger	Image	Plastic, Polarized, Transitions, Poly, Trilogy	Soft Multi	18 mm	Y	Add	Y		-6.00 to +5.00	1.00 to 3.00
Younger	Easy Lite Image	High Index	Soft Multi	18 mm	Y	I, Add	Y	I	-8.00 to +6.00	1.00 to 3.00
Younger	Trilogy Image	Trivex	Soft Multi	18 mm	Y	Add	Y		-5.25 to +6.00	1.00 to 3.00
Carl Zeiss	Brevity	Plastic, 1.67	Soft Multi	16 mm						
Carl Zeiss	Gradal HS	Plastic	Soft Multi	22 mm	Y	Add	Y		-10.00 to +9.00	0.50 to 3.50
Carl Zeiss	Gradal HS	1.6	Soft Multi	22 mm	Y	Add	Y	SL		
Carl Zeiss	Gradal HS	D Poly	Soft Multi	22 mm	Y	Add	Y	T58		
Carl Zeiss	Punktal Gradal HS	D 1.6	Soft Multi	22 mm	Y	Add	Y			
Carl Zeiss	Umbromatic SR Gradal HS	Plastic	Soft Multi	22 mm	Y	Add	Y			
Carl Zeiss	Gradal RD	Plastic	Soft Multi	25 mm	Y	Add	Y	RD	-6.00 to +6.00	1.00 to 3.00
Carl Zeiss	Gradal Top	Plastic	Soft Multi	22 mm	Y	Add	Y	T50	-10.00 to +6.00	0.75 to 3.50
Carl Zeiss	Gradal Top	Plastic	Soft Multi	22 mm	Y	Add	Y	T50	-6.00 to +4.50	1.00 to 3.00
Carl Zeiss	Gradal Top	1.6, Glass, Photochromic Glass	Soft Multi	22 mm	Y	Add	Y	T60	-6.00 to +6.00	1.00 to 3.00
Carl Zeiss	Gradal Top	Poly	Soft Multi	22 mm	Y	Add	Y	T58	-6.00 to +4.50	1.00 to 3.00
Carl Zeiss	Gradal Top	1.67	Soft Multi	22 mm	Y	Add	Y	T66	-16.00 to +6.00	1.00 to 3.00
Carl Zeiss	Gradal Individual	1.6	Soft Multi	20 mm	Y	Add	Y	/60	-10.00 to +10.00	0.75 to 3.50
Carl Zeiss	Gradal Short i	1.6	Soft Multi	16 mm	Y	Add	Y	S60	-10.00 to +10.00	0.75 to 3.50

D - Product discontinued

N - Product not available through Laramy-K

All lens information contained in this document was supplied by the manufacturers. All lens names are registered trademarks of the respective manufacturers. While every effort has been made to provide accurate and complete information, Laramy-K Optical accepts no responsibility for errors or omissions.